

CAUTION BAY STUDIES IN ARCHAEOLOGY 1

ARCHAEOLOGICAL RESEARCH AT CAUTION BAY, PAPUA NEW GUINEA

CULTURAL, LINGUISTIC AND ENVIRONMENTAL SETTING

Edited by

Thomas Richards, Bruno David, Ken Aplin and Ian J. McNiven



ARCHAEOPRESS PUBLISHING LTD

Gordon House 276 Banbury Road Oxford OX2 7ED

www.archaeopress.com

CAUTION BAY STUDIES IN ARCHAEOLOGY 1

ISBN 978 1 78491 504 9 ISBN 978 1 78491 505 6 (e-Pdf)

© Archaeopress, Monash University and authors 2016

Cover: Tanamu 2 excavations in progress, 27 November 2009. The site is located 110 metres inland of the mangrove-fringed coastline, on the western margin of Caution Bay's alluvial plain as it extends into the littoral zone. Occupation at the site peaked around 2500 cal BP (photograph by Ian J. McNiven).

All rights reserved. No part of this book may be reproduced, in any form or by any means, electronic, mechanical, photocopying or otherwise, without the prior written permission of the copyright owners.

Chapter 1. Introduction to the Caution Bay Archaeology Project

Thomas Richards, Bruno David, Ken Aplin, Ian J. McNiven and Matthew Leavesley

Introduction

In 2008 we began intensive archaeological surveys at Caution Bay, located 20km to the northwest of Port Moresby, Papua New Guinea (Figure 1.1). We followed this with the excavation of 122 stratified sites in 2009-2010, and detailed analysis of the well preserved and abundant faunal, ceramic and lithic finds has been continuing ever since.

The Caution Bay Archaeology Project is providing new and exciting contributions to western Pacific prehistory. It has radically expanded the known geographic distribution of the Lapita Cultural Complex to include, for the first time, the southern coast of Papua New Guinea; it has established the relationship of Lapita to later cultural expressions in this area; it has pinpointed the time of arrival of domesticated animals along the southern coast of Papua New Guinea and, by inference,

on the larger island of New Guinea; it has provided new insights into the impact of resident populations on local terrestrial and marine environments over a 5000 year time period; and perhaps of greatest significance, it has provided a unique opportunity to document, using multiple strands of archaeological evidence, interactions between resident and colonizing populations at a time of cultural transformation c. 2900 years ago.

Over seven hundred indigenous archaeological sites were identified in survey areas comprising coastal and inland landscapes drained by the Vaihua River and Ruisasi Creek (see Chapter 8). The archaeological excavation of 122 stratified sites within the core study area, measuring 3.1km east-west by 2.8km north-south, comprises the largest excavation program ever undertaken in the western Pacific (Figure 1.2). Detailed analyses by experts of the finds from the excavations is fully supported by a dating program consisting of more than 1300 AMS




FIGURE 1.1. LOCATION OF THE CAUTION BAY STUDY AREA AND SITES EXCAVATED PRIOR TO 2009 (BLACK DOTS) IN THE BROADER PORT MORESBY REGION.




FIGURE 1.2. SITES (BLACK DOTS) EXCAVATED AT CAUTION BAY, 2009-2010, WITH PAPUA NEW GUINEA NATIONAL MUSEUM AND ART GALLERY REGISTRATION CODES.

radiocarbon dates, a number unprecedented for any single archaeology project in the southern hemisphere.

The Caution Bay Archaeology Project was only possible on such an unprecedented scale because it formed part of cultural heritage impact studies in advance of construction of a liquefied natural gas plant near Port Moresby. The client, along with the main proponent, maintained control of the cultural heritage management aspects of the development from the outset, with our responsibility largely focused on research-oriented salvage excavations.

Intensive pedestrian field surveys were undertaken across the entire study area in late 2008 and early 2009, following burning of the grass to provide a high degree of ground visibility. Site survey and the subsequent salvage excavations were supervised by staff of Monash University; the main salvage excavations took place in a narrow window of time from September 2009 through to March 2010, and were immediately followed by large-

scale infrastructure construction activities. Following the main salvage period, a small team of archaeologists was permitted to return to excavate a single human burial in April 2010. Wet sieving of excavated sediments and the preliminary sorting of finds in the field laboratory continued until June 2010.

The salvage excavation program relied extensively on the collaboration and participation of University of Papua New Guinea staff and students. Local community representatives of Boera, Papa, Lea Lea and Porebada villages also made substantial contributions, especially to the fieldwork. These village representatives, employed by the developers, worked with professionally trained Monash University personnel on all aspects of the fieldwork, both at the sites and in the field laboratory.

Following completion of the salvage work and reporting to the clients in mid-2011, Phase 2 research set in with the excavated materials, now housed at Monash University, becoming available for more detailed analyses and

publication. Analyses have been in progress ever since, working towards publication in this monograph series.

From the onset, the guiding assumption of the excavation program was that the majority of archaeological sites in the Caution Bay study area were going to be destroyed or made inaccessible to further study during construction activities. Consequently, one objective of the salvage program was to obtain a meaningful sample of cultural material from this landscape before it was permanently altered. The chosen strategy was to excavate as many sites as possible where surface exposures identified during the project surveys indicated the presence of potentially stratified deposits (see Chapter 9). We explicitly chose to undertake a large number of small excavations within the available time, rather than limit ourselves to a handful of large excavations, so as to sample subsurface deposits in a range of environmental settings and covering a range of potential time frames. By this means we hoped to obtain a diverse sample of the material residues of human activities in the study area, through time and across the landscape. This decision was made in part because we had no idea what lay beneath the surface prior to the excavations - extensive excavations at just a few sites could have led to the sampling of one period of time only, at the expense of other cultural phases elsewhere across the landscape – and partly to historicize landscape engagements across the entire region through time.

Strict adherence to highly controlled excavation methods and broad landscape sampling has resulted in abundant, high integrity excavation data. The excavated sites typically contain an abundance of molluscan remains, a variable quantity of non-molluscan faunal remains including both marine and terrestrial animals, lithics and ceramics, with occasional personal decorative items and other valuables, usually of shell, but also of sea urchin and of stone. A subset of sites produced unusually rich concentrations of particularly informative materials such as obsidian and ceramics. Features such as infilled postholes, hearths and earth ovens are rare and only two sites have human burials, although isolated human remains are fairly common. Typically, detailed laboratory investigations were undertaken by specialists on the faunal remains, ceramics and lithics from each site, but additional specialist analyses were frequently warranted on special classes of finds including shell artefacts, sediments, pollen, obsidian, pottery fabrics, human skeletal remains, human and animal aDNA, and other materials.

Excavations were undertaken in three main landforms: coastal sand dune, riverine lowland sub-coastal plains with clayey and clayey loam sediments, and low rocky and clayey loam slopes and hilltops of the highland foothills. Sites located on the coastal sand dune tend to have deeper stratified cultural deposits with more occupation phases than the off-dune clay and clayey

loam sites, which tend to be shallower and usually only contain one major occupation phase, although there are some exceptions to this general pattern. The combination of well-dated deeply stratified multi-occupation deposits at a few locations and many single occupation components from throughout the study area allow us to construct a highly detailed culture-historical sequence, and thence, to investigate in considerable detail many research themes, as detailed below.

Research Goals and Themes

Originally, our research goals focused on building a welldated cultural sequence for Caution Bay, with emphasis on a detailed ceramic sequence, plus attention on the emergence of the historic hiri trade (discussed below and at length in Chapter 6), the timing of the introduction of domesticates including the pig, dog and chicken, and the understanding of land-use patterns through time. At the time of writing we have unambiguous evidence of human occupation dating back to more than 5000 cal BP with cultural horizons covering every century from 4300 cal BP to at least 1500 cal BP. As for the more recent period of the past 1500 years, we have not yet begun to study those sites in any detail, but radiocarbon dates already, and possibly entirely, fill this gap. There are yet many sites that are still undergoing analysis and dating, and it is likely that the start of the Caution Bay cultural sequence will be extended further back into the past, while at the other end of the chronological spectrum, the possibly less well represented last 1500 years (or less) of the sequence will likely be fleshed out with more analysis and dating. These results have more than doubled the age of the previously earliest dated archaeological evidence, and have provided the first record of pre-ceramic coastal adaptations, for the broader Port Moresby region. As a historical foundation for understanding the long-term development of the ethnographic cultural landscape, the results from Caution Bay are probably without parallel in the wider Pacific region.

Without doubt the single most startling outcome of the excavations at Caution Bay was the discovery of a Lapita colony dating to c. 2900-2600 cal BP, and our research goals have diversified accordingly; they now include nine major themes, as introduced below. Naturally, these themes are not mutually exclusive but, rather, form an integrated whole with numerous overlapping and interdigitating elements.

Lapita Colonization

The combination of abundant finely-excavated ceramics and other materials, and precise chronological control from numerous sites, allows us to accurately document the time of arrival of Lapita colonists at Caution Bay. Since we also have pre-ceramic occupation sites in a common locality dating from c. 5000 years ago up to

the arrival of Lapita peoples, we are presented with an opportunity unique in the Pacific to characterize the nature of initial interactions between incoming Lapita and pre-existing groups at this critical social and cultural juncture, as well as their subsequent relationships.

Also important to consider are the ties the colonists maintained with other parts of the Lapita world, or at least with their place of origin, after arriving at Caution Bay. We will examine this issue through assessment of the Caution Bay archaeological record against the wider corpus of regional studies.

Ceramic Transformations

The emphasis of the Caution Bay ceramic analysis is to produce a local sequence using only the Caution Bay data, rather than attempting to revise problematic existing ceramic sequences or horizons from other parts of the south coast of PNG (see Chapter 2). Pottery is one of the most commonly occurring cultural materials in our excavated sites, ranging from a few nearly whole vessels (e.g., David et al. 2013) to sizable sherds, to tiny comminuted sherds. Although the bulk of the pottery consists of tiny fragments that were recovered in our 2.1mm mesh sieves, there are substantial samples of potsherds in the 3 - 10cm size range in many of the excavated sites. The condition of the pottery is variable, but good enough to identify surface decoration style in every assemblage analysed thus far. In several sites, conjoining of sherds has taken place, greatly facilitating recording of full decoration patterns and identification of vessel shapes.

With the abundant ceramics from numerous stratified sites - we estimate that there are many hundreds of thousands of sherds in the excavated assemblages, although most are very small - we are able to construct a detailed ceramic sequence starting at c. 2900 cal BP with the appearance of Lapita pottery, and continuing largely uninterrupted to the ethnographic period. Key decorative traditions and transformations in stylistic conventions are being identified and finely dated (e.g., David et al. 2012). We have, for example, several stratified sites dating from the Lapita to post-Lapita periods on the coast and inland at Caution Bay, with good samples of well-dated, decorated ceramics, allowing this key transformation to be examined in detail (in the second monograph of this series). We also have well-dated excavated ceramic assemblages from throughout the study area pertaining to each subsequent ceramic transformation or phase up to ethnographic times, which will allow these to also be characterized as the analysis progresses.

Long Distance Ceramic Trade

Of widespread interest is understanding the emergence of the ethnographically documented Motu *hiri* trade,

a large scale, long-distance maritime enterprise that involved the transport of locally manufactured clay pots westward in fleets of lagatoi sailing ships to be exchanged for sago starch with trading partners hundreds of kilometres distant in the swamplands of the Gulf of Papua (see Chapter 6, this volume). Genealogical reckoning using oral histories suggests a maximum 300-400 years antiquity for this trade. The Caution Bay area features prominently in the ethnographic and oral historic accounts of the hiri trade, including origin myths and first lagatoi stories, so it is an excellent location from which to investigate the emergence of the hiri trade using archaeological data (see Chapters 3, 5 and 6). The abundant, well-dated Caution Bay ceramic assemblages will also enable us to identify indicators of long distance ceramic trade in the region from the Lapita period onwards, including shared ceramic decorative conventions with pottery found elsewhere (e.g., Skelly et al. 2014), evidence for the mass production of pottery, or standardization of pot forms akin to hiri trade wares.

Historicizing the Ethnographic Koita and Motu

The study area is located in an area occupied today by two originally linguistically unrelated and culturally distinct groups: the Motu, Austronesian language speakers who mostly occupied coastal villages, had a maritime resource focus, and specialized in the manufacture of pottery that they traded far and wide, especially via the hiri; and the Koita, non-Austronesian language speakers who mainly occupied inland villages, hunted wallabies and tended gardens, manufactured no pottery until the arrival of Austronesian-speaking peoples, and who participated in the hiri through the Motu. The present day and historical relationships between these two ethnographic groups are examined ethnographically and linguistically in Chapters 3 and 4 respectively. We have to consider that we can now archaeologically document the arrival of pottery-making Lapita colonists c. 2900 cal BP in a Caution Bay cultural landscape where existing populations did not make pottery. This leads us to ask the following questions: are the maritimefocused, Austronesian language speaking, longdistance travelling, pottery specialist Lapita founding population(s) the direct ancestors of the maritimefocused, Austronesian language speaking, pottery making and long-distance trading, ethnographic Motu of Caution Bay? And are the Koita direct descendants of the existing aceramic Caution Bay populations at the time of arrival of the Lapita people? Or rather is the picture more complex, involving intermarriages and multiple kinds of cross-cultural exchanges and influences, with two, initially distinctive populations literally coming together and perhaps even largely merging at Caution Bay over a period covering nearly three millennia? If so, what is the basis for a more or less distinctive Koita versus Motu cultural identity that we see today? This latter question is one that both the archaeology and social anthropology

can contribute to significantly, and in doing so crossfertilize our separate disciplinary skills and approaches.

Spatial and Temporal Faunal Resource Utilization Patterns

Faunal assemblages of marine and terrestrial origin are preserved in virtually every excavated site and throughout the stratigraphic profiles, and in many cases the preservation of bone and shell is good to excellent. To date, only a very few sites have been reported in a preliminary fashion (e.g., McNiven et al. 2011, 2012a); however, studies are underway on both the molluscan and non-molluscan faunal remains from numerous coastal and inland sites. The results will allow for progressively more detailed analyses across numerous assemblages, both synchronously across the landscape and through time. In sheer quantity but also in the quality and diversity of remains, the faunal assemblages are without parallel in a New Guinean context. Critically, animals represented in the deposits are derived from every one of the locally represented environments including the offshore and near-shore marine, the strandline, mangrove and inter-tidal mudflat habitats of the littoral zone, the woodland, grassland and scrub of the inland plains and hills, and the freshwater aquatic habitats and fringing bands of riparian forest of the inland streams.

How these habitats were exploited through time will reveal previously unavailable information about the extractive strategies of both the pre-Lapita residents of Caution Bay and of the earliest Lapita colonists, and of the subsequent pattern of exploitation, overuse and adaptive shifts that occurred across space and through time. The impacts of this utilization on the local environment can also be assayed from the faunal remains, including evidence for depletion and extinction of local populations. Comparison of these results with the findings of pollen analyses within the study area (Rowe et al. 2013) will lead to a detailed narrative of regional resource use and its impacts over the past 5000 years. It is anticipated that this record will yield numerous insights into the sustainability or otherwise of traditional resource extraction practices, and that these insights will be of great practical value for the ongoing management of both marine and terrestrial resources in south central New Guinea where many people continue to follow customary practices, often using similar methods as their forebears to obtain the same resources at Caution Bay.

Wallaby hunting is a topic of some interest in the Port Moresby area (e.g., Allen 1977a). This was a notable activity across the region in ethnographic times, and the potential role of fire to modify and maintain landscapes in favour of wallaby-preferred grassland savannah is a topic of great interest. The Caution Bay deposits contain remains of at least three wallaby species and, at times, these were clearly the focus of hunting activity. By

documenting the variable presence and composition of wallaby remains through time and across space, and comparing this pattern to the wider faunal and palynological records, we hope to establish the nature of the relationship(s) between wallaby hunting and landscape firing and modification, and also that between the intensity of wallaby hunting and the status of trade activities.

In a recent paper, O'Connor et al. (2011) reviewed the evidence for the introduction of the pig (Sus scrofa) into mainland New Guinea (not including evidence from Caution Bay, which were not available at the time). They argued convincingly that the evidence for the mid-Holocene presence of pig is unreliable, being derived from mixed middle and late Holocene deposits, and that the oldest directly dated pig bone in all of New Guinea is from Kria Cave in West Papua, dating to 1876-1638 cal BP. We will be addressing the appearance of pigs in the archaeological record at Caution Bay through a combination of careful assessment of the chronostratigraphic context of each occurrence and by direct AMS dating of key specimens. Analysis of ancient DNA of pig remains is being undertaken where DNA is preserved, to determine genetic relationships with existing regional pig populations and with other archaeologically recovered genetic profiles for pigs (Larson et al. 2007), and thus we seek to gain further insights regarding the routes of introduction of the pig into New Guinea.

Similarly, we will be addressing the appearance of the domesticated dog in the archaeological record of Caution Bay. Ethnographically and continuing today in many areas, dogs are of central importance in diverse aspects of New Guinean life, including hunting, security and various ceremonial contexts. Their introduction is anticipated to have had a marked impact on lifestyles throughout the region (Koler-Matznick *et al.* 2007).

Caution Bay Landscape Use

This theme involves consideration of the chrono-spatial distribution of occupation deposits across the study area, both synchronically and diachronically. Aspects of relevance include coastal vs. inland land use, the distribution of hamlets, villages, other occupation sites, burials and specialized activity areas, in comparison with the distribution of food resources and habitats and arable land. Spatial comparisons should facilitate the understanding of relationships between ceramic (Lapita and descendent) and non-ceramic (pre-Lapita and descendent) populations through time (see Historicizing the Ethnographic Motu and Koita above).

The environmental history of the study area is also directly pertinent to documenting and understanding human landscape use through time, as well as understanding human impacts on the landscape. There is a likely recursive human-natural environment effect from the time of extensive land-clearance relating to gardens upstream of the study area and increased erosion and fluvial sediment deposition in the study area, or increased human burning activities and the creation, expansion or maintenance of the grassland savannah characteristic of the present day study area. These effects would have influenced wild food resource availability, the amount of land suitable for gardening, and the location of suitable long-term occupation locations (i.e., villages). We have started to address this issue through the study of coastal pollen cores (e.g., Rowe et al. 2013) and we are continuing with ongoing analyses of sediments and pollen from inland archaeological sites across the study area, and with the detailed studies of faunal assemblages that document the conversion of lowland rainforests to savannah woodlands and grasslands.

Detailed studies of the molluscan and marine vertebrate faunal remains also promise significant insights into the impact of fishing and other extractive activities on the coastal and off-shore environments of Caution Bay. From work already undertaken, it is clear that our studies will document major changes in this *milieu*, including local depletions and even extinctions of particular resources, and that we will document a series of corresponding shifts in the extractive focus of local human populations.

Raw Material Sources

Identifying the sources of raw materials present in the excavated sites will potentially illuminate both internal and external relationships within the Caution Bay study area and between Caution Bay and external localities. For example, chert is a widely available surface resource at Caution Bay and is also the most common raw material in every flaked lithic assemblage studied thus far. One study underway is using X-ray fluorescence technology to characterize chert sources to investigate patterns of chert usage over time and throughout the study area; the results may help to identify social boundaries as well as patterns of interaction and land use within the study area. In addition, we are interested in comparing the raw material sources of stone axes/adzes from the pre-Lapita, Lapita and subsequent periods at Caution Bay, not only to look at continuities or changes, but also to potentially gain insight into engagement between Lapita peoples and local inland populations for raw materials sourced to the mainland of PNG, or the establishment of offshore trading patterns for materials from island sources. Obsidian, as well as metamorphic and volcanic stone for adze and axe making are presently the subjects of sourcing studies.

Also in progress is the fabric analysis of ceramics from certain excavated sites to shed light on the origin and movement of pottery, potentially allowing further insights into internal and external social relationships at Caution Bay.

Technological Transformations

Non-ceramic artefacts from excavated sites at Caution Bay include flaked lithics, ground lithics, drilled lithics, and worked shell, bone and sea urchin. Detailed analysis of the technology of manufacture, maintenance and repair, is being undertaken for all of these materials, with emphasis on identifying transformations through time, but also variability across the study area, and external relationships, including stylistic aspects and raw material selection.

Other than pottery, flaked lithics are the most common worked items by far, being present at nearly all of the excavated sites. Flaked stone was clearly in use on a daily basis. Detailed lithic analyses for each excavated site is providing a profile through time and across space of raw material selection, lithic reduction, and tool use, and will thus provide crucial data for evaluating wider patterns of landscape use. Comparisons of technology and raw material use-profiles from pre-Lapita and initial Lapita should be particularly informative, as should the comparisons of lithic assemblages at the ceramic transformations of Lapita to post-Lapita, etc., through to the ethnographic period.

Scope and Organization of the Caution Bay Monographs

While some of the preliminary results, especially in relation to the initial discovery of stratified archaeological deposits establishing the presence of Lapita people on mainland PNG, have been published elsewhere (e.g., McNiven et al. 2011, 2012b; David et al. 2011), from the onset we have worked towards the production of monographs as detailed accounts of our investigations, including analytical methods and primary results, and meta-analyses of trends and processes. This series of monographs reporting the Caution Bay investigations will not only detail the analytical results on a site-bysite basis for numerous sites but will also contain an emergent consideration of each of the research questions in progressive depth. To avoid potential repetition and redundancy, we have carefully structured the monograph series to present the mass of new information in an efficient, informative and interesting way.

The present volume is both an introduction, and a necessary accompaniment, to the succeeding volumes that will consist of a series of detailed reports on the investigations at a number of sites. The write-up of each site is focused on a site report chapter, detailing the investigations and the chronostratigraphy of that particular site, followed by results of specialist studies either in separate chapters if there is much material or otherwise incorporated into the site report chapter. Each

volume will conclude with a chapter or chapters that discuss relevant research goals and themes in light of the contribution of each site, or group of sites in the volume.

Each monograph will focus on both a research theme and one or more of the following sites or groups of sites: (1) a key, well and/or deeply stratified site, rich in cultural content, that is important for establishing a cultural sequence with that monograph's major theme in mind; (2) contemporaneous sites, to highlight ceramic stylistic conventions and/or transformations, or variable use of the landscape across the study area; or (3) groups of geographically proximate sites that document land use of a portion of the study area. For example, the second Caution Bay monograph has an emphasis on the deeply stratified Lapita age Tanamu 1 (ABHA) site, but also includes four other important sites of late Lapita to

immediate post-Lapita age (c. 2700-2400 cal BP) from across the study area, with a thematic focus on Lapita to post-Lapita transformations.

Organization of the Present Volume

The first volume of the Caution Bay monographs is designed to introduce the goals of the Caution Bay project, the nature and scope of the investigations and the cultural and natural setting of the study area. To this end a series of chapters are included on the ethnographic and linguistic setting, the present and past natural environment, archaeological surveys of the study area and investigative and analytical methods. These background chapters will be repeatedly referred to in all the other monographs, as foundational reference materials for the broader study.

Chapter 5. Koita and Motu Landscapes and Seascapes of Caution Bay

Linus S. digim'Rina, Thomas Richards, Bruno David, Matthew Leavesley, Michael Goddard, Tom Dutton, Robert Skelly, Brad Duncan, Laura Naidi and Julia Hagoria

Introduction

A loss of place-names, and of the knowledge of history those named places hold, is effectively a significant cultural loss, and for this reason it was deemed important to record named places at Caution Bay before those localities were permanently altered. Therefore, named, culturally meaningful places within and near the Caution Bay study area were recorded in conjunction with local Koita and Motu community members in 2008-2010 (Figures 5.1 and 5.2). This mapping was undertaken in two steps, the first consisting of opportunistic recording of place names during early, preliminary stages of fieldwork in 2008 and 2009; and the second a focused study undertaken in early 2010 explicitly aimed at recording place names and their cultural significance in the face of imminent developments that would forever transform the landscape. This chapter presents the results of these studies.

Preliminary Place-Name Study

In early 2008, prior to the commencement of archaeological surveys in the study area (see Chapter 8), archaeologists from the Caution Bay survey team visited all of the villages of Caution Bay, except Kido, to discuss forthcoming fieldwork and to elicit information on traditional locations of importance, especially former villages and other named places. While this was not a land use study, our aim for this first mapping study was to attain a sense of place so as to situate the archaeological pattern within an ethnographic cultural landscape. This was facilitated when community members asked the project team on a number of occasions to ensure that we reported on how the landscape was understood by them to consist of a rich array of named places that in many cases articulated closely with oral traditions, histories and localized activity areas.

Interviews were undertaken by Brad Duncan with local fishermen in particular, as well as others from Lea Lea, Papa and Boera villages who had a demonstrated deep knowledge of the offshore reef environment. Fishermen in all three villages demonstrated a particularly in-depth knowledge of the seascape in those areas utilized for their fishing activities. Most of the fishing in this region is today undertaken by free-diving from small outrigger canoes to spear fish and crustacea, and to collect

molluscs (giant clams, a variety of smaller shellfish, and sea urchins) and bêche-de-mer (sea cucumbers). These local fisherfolk possess intimate knowledge of the submarine topography and reefs, including locations that feature prominently in oral traditions and mythologies.

Three community representatives, Auda Delena (Lea Lea), Gau Ario (Papa) and Moi Dobi (Boera), after consultation with village elders and other community members, produced a map of Caution Bay showing the location of known traditional sites, especially those associated with traditional fishing activities. That information, as well as several onshore and offshore locations associated with the ancestral hero Edai Siabo and his first lagatoi, is reproduced as Figure 5.3. Particularly noticeable on this map is the number of place-names, as well as the variety of types of places. Motu terms on the map include: iduka – point or headland; dogu – deep bay; *motumotu* – detached portion of reef or small island; pore – mudflat; sinavai – intertidal inlet; and nadi – rock or stone (translations from Lister-Turner and Clarke 1931). The Koita term tanamu – low hill, also appears. Several of the above terms seem to be applications to submerged, or at least intertidal features, of terms that also are used for terrestrial topographic features.

Four traditional sites associated with the story of Edai Siabo were identified in the Caution Bay area, each of which was inspected during the course of the fieldwork. Each of these four locations is an integral component of the first *lagatoi* story that is said to have given birth to the annual *hiri* trade voyages (see Chapter 6 for details of the *hiri*). These four sites are of the highest cultural significance, relating to what is arguably the most important customary oral tradition of the Western Motu.

Daro Avei, a fisherman from Boera village, identified the first of these Edai Siabo sites, and although its exact location could not be identified, it is said to be located between Boera and the Vaihua River. Avei (personal communication 2008) maintains that stone flakes produced when making the stone axes to carve the first canoe become exposed on the ground during the dry season in this area. This is a traditional cultural site where a tree was felled, and the trunk roughly shaped, before the resulting hull was transported through the mangroves to the ancient village where Edai Siabo lived near Davage. This was the only instance during the entire




FIGURE 5.1. MOTU AND KOITA LANDSCAPE PLACE-NAMES AT CAUTION BAY (EXCLUDING CREEK AND RIVER NAMES).

surveys when the story of this site was told and, as far as we know, it is the first time that this story place has been recorded.

The second location was where the first *lagatoi* was built. The site is situated at Davage, close to a stream outlet that collects into a small pool just above the high tide mark on the northern extremity of the beach. In the old days, fishermen were said to have washed in this

pool after they returned from their day fishing at sea. A dugout canoe was being built at this locality when it was visited by the archaeological mapping team in 2008.

The third location is the place associated with the story about where Edai Siabo anchored the first *lagatoi* (Figure 5.4a-b). Moi and Mea Dobi (personal communications 2008) related the following story:




FIGURE 5.2. MOTU AND KOITA LANDSCAPE PLACE-NAMES IN THE CAUTION BAY STUDY AREA (INCLUDING CREEK AND RIVER NAMES).

This beach is associated with the [story of the] first lagatoi canoe. That anchor is where Edai Siabo from Boera first came ashore. There are underwater caves at Hidiha [Idihi] Island. He was pulled into an underwater cave by sea spirits and they taught him how to build the first lagatoi canoe. His mates saw his legs sticking out from the sea, and pulled him out of the cave. He later made a model of a lagatoi, but his mates laughed at him. He then made a full-scale model of it, which was the first large lagatoi canoe. They were hard times then, so he went to Kerema and established the hiri trade. He built the first lagatoi on the beach at Apau [Davage], which was the village before Boera. He sailed in around to here, and threw in the anchor here. The anchor was left where he came ashore. This is the location of the sacred stone anchor from the first *lagatoi* boat [Moi pointed to a rounded, light grey stone whose partial exposure indicates that the stone is >20cm thick and >60cm long].

This is a traditional place for us, and we do not disturb the anchor. One time a researcher [name not recorded] came and tried to take a piece of the anchor, you know to see what rock type it was, but the bees came and stung him and scared him off.

The basalt anchor remains in this location, and part of it is still visible as it becomes exposed at low tide (Figure 5.4b). The anchor is probably of a type designed to fit in a cane or rattan basket, which was then attached via ropes to the vessel. Similar stone anchors were observed



FIGURE 5.3. MOTU AND KOITA PLACE-NAMES ON THE CAUTION BAY SEASCAPE, INCLUDING EDAI SIABO FIRST LAGATOI STORY PLACES.

by missionaries in 1883 and were often attached to boats by 100 fathoms (~180m) of line (e.g., Lennox 1903: 1). The beach in this area has high concentrations of ceramic sherds scattered over a very large area. High concentrations of stone artefacts (cores and flakes) along this beach were also identified by Mea Dobi (personal communication 2008) as *kavari*, which were used to make shell armbands, a practice that ended locally in the 1960s.

The fourth place is the site of the sea cave in which Edai Siabo was instructed how to make the first *lagatoi* by the spirit-being, as in the story recounted above. That

site lies c. 50m offshore to the southeast of Idihi (or Hidiha) Island, as pointed out to us by Moi Dobi (Boera fisherman). The cave mouth is set in a shallow reef-top in water less than 1m deep. No features of the cave could be discerned during an inspection of the site, due to it being currently filled with sand.

Detailed Mapping of Caution Bay Place-Names: The Focused Study

The goal of the more detailed 2010 study was to locate and record Koita and Motu named places with the assistance of knowledgeable local consultants prior to



FIGURE 5.4. MOTU AND KOITA PLACES AT CAUTION BAY: A. LOCATION OF FIRST LAGATOI LANDING/STONE ANCHOR SITE (RED RECTANGLE), WEST OF BOERA VILLAGE, FEBRUARY 2008 (PHOTO: BRAD DUNCAN); B. ANCHOR STONE AT FIRST LAGATOI LANDING/STONE ANCHOR SITE, DURING LOW TIDE, WEST OF BOERA VILLAGE, FEBRUARY 2008 (SCALE IN 20 CM INCREMENTS) (PHOTO: BRAD DUNCAN); C. CULTURAL MATERIAL SCATTER AT KONEKARU, MARCH 2009 (PHOTO: ROBERT SKELLY); D. OUTRIGGER CANOES ON BEACH, PAPA VILLAGE, JANUARY 2008 (PHOTO: BRAD DUNCAN). E. PARTLY BURIED POSSIBLE ANCHOR STONE AT ARCHAEOLOGICAL SITE ABIV, SQUARE C, BOGI LOCALITY, FEBRUARY 2010 (PHOTO: SIMON COXE); F. JULIA HAGORIA HOLDING A STADIA ROD IN FRONT OF A POOL ON LOWER RUISASI CREEK WHERE SEIRI, KWARU AND FIRE-FISH ARE CAUGHT, MARCH 2010 (PHOTO: ROBERT SKELLY).

the area's physical transformation by development. The second stage of the place-names field survey occurred over six days in January to March 2010. The information presented here was provided by individuals from the villages of Papa (Renagi Koiari, Gau Ario, and Vaguia Seri), Boera (Kara Henao and Moi Miria), Lea Lea (Ray Auda and Nou Vagi), and Porebada (Goasa Ova), and is a record of major places and some lesser ones, along with their cultural meanings. The team avoided recording names of individuals and *iduhu* (corporate groups within a residential section of a village; see Chapter 3) or any other information relating to land ownership claims due to the contentiousness of the latter issue.

Methods

Linus digim'Rina was the principal investigator for the place-names study, aided by archaeologists and University of Papua New Guinea archaeology students, a community liaison person, and one or more knowledgeable local community representatives. The team travelled primarily by vehicle, visiting each named location and recording information provided by the Koita and Motu consultants. Starting in the villages, all located outside the study area proper but representing the closest extant villages to it, the team often began by visiting gardens and other localities nearby, a process of familiarization between the survey team and Koita and Motu consultants, before beginning the more formal surveying and recording of the study area itself. This usually began by traversing the periphery of the study area by vehicle to narrow the target area of interest for the Koita and Motu consultants, who all had broad knowledge of the surrounding areas as well. Initially, the Koita and Motu consultants would point out a landscape feature from the vehicle. Then the team would alight at the given location, which would usually be explored on foot while one or more consultants explained the origin of the name, the significance of the place, and other relevant social, linguistic or historical details. The traditional anthropological method of 'listening and absorbing' during travels through the bush, forest, beaches and the like was adopted and certainly made the local consultants comfortable and appreciative of the fact that the survey team was recording their knowledge in a respectful manner.

Recorded Places

The results of the place-names survey are presented in two parts, localities within the study area and those in the vicinity of the study area. Figure 5.1 shows the location of the recorded Caution Bay place-names except for rivers and creeks, while Figure 5.2 shows the location of all named locations, including rivers and creeks, in and immediately around the study area. In most cases a named place refers to a reasonably broad locality rather than to a specific spot, so that villages and the

general area around them have the same name, as do certain associated geographic features (see, for example, Konekaru below).

Named Places in the Study Area

Konekaru

Konekaru (Motu for 'coconut beach') is both a beach and a former village site (Figure 5.5). Konekaru village was still occupied at the time of initial European contact in the late 1800s (Seligmann 1910: 41). Konekaru is still frequented by locals, especially for fishing, crab and shellfish collection, and villagers occasionally also camp there. Konekaru beach stands out as a highly visible local landmark, being the only natural beach opening towards the northwestern end of the mangrove vegetation fringing the study area. Midden shells, stone artefacts and pottery fragments indicative of the presence of former human settlement are strewn across the surface of the beach area (Figure 5.4c), extending landward along the drier sandbanks surrounded by mudflats, and were also observed on the reef top offshore to the west during spring low tides. Present-day Papa and Boera villagers have identified Konekaru as a locality of particular cultural and historical importance to them.

Further north, outside the study area towards the present Papa village is found Marohata – the unmapped Papa village burial site – followed by Kahiru picnic beach, and then Papa village (Figure 5.4d). According to consultants from Papa, the village was named after the northern rocky point along its shoreline, mainly because each time the fishermen tried to insert a mooring stick into the water they would hit the hard rock almost everywhere, and the sound made is onomatopoeically referred to as 'papapapa', thus Papa (although *papapapa* is Motu for flat rock). Additionally, certain historical versions assert that the initial inhabitants of Papa village were settled somewhere within the present village and at the base of a *veasi* (Koita) tree, thus the village is sometimes known as Veadi (Motu).

The Konekaru locality ends at a point to the south where the salt-flats, that run from the north, curve in and meet a small tidal inlet named Nadivasiga (*nadi*, stone, plus *vasiga*, scattered pebble flakes, in Motu). From afar, this locality is clearly marked by a large rain-tree with an extensive canopy.

Bogi

Bogi is a coastal locality, including a small inter-tidal inlet. The name Bogi is a Motu word for a specific type of fish. For local people at the time of the survey, perhaps the most significant cultural feature of the Bogi area was its vast mangrove vegetation, said to be home to eagles, flying foxes, crabs and fish. Nearby is a flying fox hunting



FIGURE 5.5. KONEKARU LOCALITY, SHOWING OPEN OCEAN BEACH BOUNDED BY MANGROVE FOREST TO NORTH AND SOUTH, AND BACKED BY MUDFLATS TO THE EAST (GOOGLE EARTH PRO IMAGERY DATED 16 MAY 2010).

ground (locals believe that eagles remain here because of the flying foxes). Bogi is an important crab extraction area for women, and male fishermen recognize the entire stretch of the mangrove environment covering Konekaru, Bogi, Bubuaia and Vaihua as a major fish spawning area. A great deal of fishing activity occurs along the shoreline of these four areas of richly endowed marine resources.

The partly buried surface find of a large unmodified rock at archaeological site ABIV (PNG National Museum and Art Gallery site registration code) along the Bogi sand dune is said by some local people to be an abandoned trading ship (*lagatoi* in Motu) anchor (*dogo* in Motu), although it is common for locals to attribute a *lagatoi* origin to any largish rock along this coast (Figure 5.4e). Nevertheless, this rock is a manuport that had to have been deliberately placed on top of the dune. Of the three local consultants who observed this rock, two stated it was too small for a *lagatoi dogo*, but that the stone might have been suitable for smaller canoes/rafts that travelled eastwards on occasional trading trips (*tautauna* in Motu). However, sometimes several smaller stones were bound together with rattan to comprise a *lagatoi* anchor.

Bubuaia

Continuing southward, the next major place name after Bogi is Bubuaia, a locality comprised of mangrove forest and salt-flats on tidal inlets north of the bigger Vaihua inter-tidal inlet, with a channel running through the mangroves to the sea. At Bubuaia, salt-flats on the east (the lower Ruisasi Creek) and west bracket the sand ridge extending southwards from the Bogi locality. On slightly higher ground on the tip of the sand ridge at the southern end of this dune is a well-known fish-smoking area named Harakiare, within the Bubuaia locality.

Vaihua

Vaihua tidal inlet is the largest inlet within the survey area and is culturally significant for various reasons. It has an extensive area of mangrove vegetation and salt-flats that receive sediment deposition from the Vaihua River and Moiapu, Dirora, Edubu, Ubutodahana and Kiohedova tributary creeks (Figure 5.2). Eastward towards higher ground, the line of pandanus (*geregere* in Motu) vegetation along Edubu Creek marks several deep

pools that provide home to several freshwater fish species targeted by local villagers, and fishing continues to take place here today. Aemakara, southeast of Vaihua, was said to have formerly been a permanent village. Further south is a locality known as Roga, though specific details of this location are not available.

Aemakara

Aemakara is a locality south of the Vaihua River study area that played an important role in ancestral times, especially in regard to migrations of the Isumata Koita. Aemakara was a former Koita village location on a low hill of the same name. There are also vague suggestions of burial grounds marked by stones here. It was suggested by some local consultants that some of the later inhabitants (in pre-contact times) of Aemakara, Davage, Konekaru, and Boera were closely related.

Ruisasi

Ruisasi is a creek that rises north of Moiapu Hill where several smaller tributaries combine before it crosses the Papa-Lea Lea Road and flows westward and southward down to the Bogi area before discharging into the Bubuaia tidal inlet. Lower Ruisasi Creek contains a series of mudflat pools, including a stretch of deeper spots along the creek used for fishing (seiri koa) (Figure 5.4f). This area is commonly used as a present-day fishing ground for several types of fish including the local delicacy seiri or 'milk fish'. Other fishes caught from this location include kwaru (Motu) (smaller mullets) and 'fire-fish'. Ruisasi Creek is also sometimes referred to as the North Vaihua River.

Moiapu

Moiapu Hill is a significant landmark from any point within the study area. Moiapu is a SSW-NNE-oriented ridge that constitutes the watershed between the Ruisasi Creek and Vaihua River drainages. Some local people say that their ancestors settled Moiapu Hill. The name variation Moiapu or Moiopu appears to matter little. Hunters of wallabies, feral pigs and bandicoots from Lea Lea village use the hill as an ambush point and a lookout during major hunting expeditions involving men divided into several groups (seviro). For instance, if the hunting camp was set up at Buo Creek (at the northern foot of Metago Hill, where the present Bible College is situated), a hunting group would be left at Metago to set fire to the grass, while the other groups would locate themselves in the Moiapu Hill area to trap the wallabies escaping from the fire in nets so they could be easily speared. Ideally, this hunting activity is best done when the lahara (westerly trade winds in Motu) are blowing (although other accounts suggest wallaby hunting in this area occurred a month or two before the lahara).

Bokina Bokina

Bokina Bokina is a cultural area in the southeast of the study area that is said to include a former settlement, although the location of the former village is unknown. In a culture-story of *lagatoi* construction, Bokina Bokina was the name of an important Koita man from Dirora village located in the hills approximately 5km to the northeast of the locality reported here and it is not known why this is also the name of the locality in the study area. Logs from the *akaka* tree that were used to build the *lagatoi* were said to have been brought down from the hills along Moiapu Creek, which runs through the reported Bokina Bokina locality.

Edubu

Edubu Creek is a major tributary of the Vaihua River that is bigger and deeper than nearby Moiapu and Dirora Creeks, and unlike the latter, is lined with pandanus palms as it descends to the Papa-Lea Lea Road. One villager advanced the name Geregere for the creek, presumably due to the abundance of pandanus palms bordering the creek (*geregere* in Motu), but this appears to be an error in nomenclature.

Laba

Laba (Motu) refers to the fertile land area extending from the southern banks of Edubu Creek south towards Ubutodahana Creek. Historically, this is an area of crop cultivation, particularly yams, bananas and sugarcane.

Ubutodahana

South from Laba is Ubutodahana, an east-west-oriented tributary creek of the Vaihua River. Ubutodahana Creek (*ubuto*, 'juicy red tropical fruit' and *dahana*, 'creek' in Koita) is lined with rain-trees along its banks. There are at least six additional named tributary creeks of the Vaihua River south of Ubutodahana Creek, namely: Kiohedova, Rabiana, Variomoto, Inuhavaka, Omoro and Manubada. The locations of most of these creeks have not been identified with full certainty as they were not visited and consequently only Kiohedova is mapped.

Roku

Roku is a large creek flowing along the western edge of the Dirora Hills, cutting across the northeastern corner of the study area. Roku is fed by smaller but notable westward-flowing creeks originating in the Dirora Hills: from north to south, Soneso, Mageto and Ehoragare Creeks. Roku is recognized as an ancestral drinking water location, providing respite for travellers moving to and from the coast carrying garden crops, fish and shellfish. Roku means pawpaw or similar fruit in Motu and also refers to a variety of local shellfish in that language. A number of culturally significant *nata* trees were observed standing several meters from the creek during the surveys. Wooden bowls for water storage and/or serving food are carved from the broad-leafed and stout *nata* trees. Roku Creek is known as Kauka Creek on the topographic maps for the area; it is possible that Kauka Creek refers to the lower portions of this creek and Roku to the upper.

Named Places Near the Study Area

Urivaka Sagaeragare and Nebira

Urivaka Sagaeragare 'seeing through the nostril' (one where the septum has been severed) is the name of a low hill a few hundred metres to the north of the study area, adjacent to a similar landmark called Nebira Hill.

Goroto Koita

Goroto Koita (Koita) Hill is another significant cultural site and is a vantage point for animal hunters. While a fire-setting group is left at Goroto, other hunting groups would descend and strategically locate themselves at various places within the vicinity of the Konekaru-Bogi area, intercepting fleeing animals at these locations.

Metago Taoro

Metago Taoro Hill played a similarly significant role for hunters as Goroto Koita Hill. Fire-setting groups remain on Metago Hill, while ambush-hunting groups wait at Moiapu Hill to intercept animals fleeing the fires. It is from such hunting trips and during camping at locally renowned spots like Buo Creek that songs are composed and recited, telling of sojourns and adventures within one's own territories. One such song was Vaurabada (big cuscus in Motu), which has a poetic and melodic rhythm about hunting. This song was kindly sung to the mapping team by an Elder from Lea Lea village. Seated at the top of Metago Hill, with Moiapu Hill visible to the southwest, Dirora/Iokoru Hill to the east, and Konekaru to the west, and with the northwesterly breeze blowing, the old man launched into this melodic song (songs about places are not unusual in PNG, being part of a wider way in which the landscape is layered with intangible knowledge; e.g., see Feld 2012; Halvaksz 2003; Rumsey and Niles 2011; Weiner 2002).

Buo is a creek that reportedly begins near the northeastern foot of Metago Taoro Hill and flows north towards Koba catchment. However, it is Roku/Kauka Creek that flows along the east side of Metago Taoro, and perhaps Buo refers to a branch of Mokeke Creek, located just over a kilometre to the northeast of Metago Taoro. At Buo hunter's camp, the people rested after hunting, and cleaned and dried their meat to take home.

Dirora Gotera

Dirora Gotera refers to the closest range of hills east of the study area. Beginning with Dirora Hill (Iokoru in Koita) in the north, these hills and ridges extend southwards with a Y-shape and gradually terminate to the south. The only access to the steep Dirora Hill is via the relatively flat area to its northeastern side. The narrow stretch of grassland surrounded by thick vegetation at Dirora peak is frequently compared with a man's balding head. Dirora also refers to an abandoned settlement site on the hilltop. Bokina Bokina, an Elder or leader of Dirora, was reported to have driven out the rest of the villagers when, one afternoon, he discovered that the people had carelessly helped themselves to his ancestral water-well and left it murky.

The Dirora Gotera range has the thickest of all local vegetation, and local people recall it as a place of mystery woven with vague traces of historical migrations and sojourns. Locals report losing consciousness for days without food here, as if captivated by invisible spirit-inhabitants. Once released, one appears wasted, nearing death. It is said that feral pigs, birds and other animals abound in this area. Giant snakes and lizards are said to have been sighted, carrying whole pigs up trees for their meals.

Due to the difficult terrain and remoteness of this area, and the seeming elusiveness of the trees themselves, locals infrequently collect sandalwood (*boto* in Motu) here. As *boto* is considered gendered and is therefore never far from its opposite sex, once one is located, its partner should be somewhere nearby. Locals raise good money from buyers in Port Moresby when such sandalwood is sold.

Davage

Davage is the ancestral village of the present Boera village. Located just a few kilometres along the coastline south of the study area, this very large cultural site is covered with potsherds and stone artefacts. The small Davage beach is bounded by low hills on either side running parallel to the coast (Figure 5.6a-b). Their ridges of grassland and peaks are lightly vegetated and sparsely covered with piles of rocks (Figure 5.6b). It is from these hills, especially the southern ones, that the women looked out westward for returning lagatoi during the season known as lahara. Eastward to the back of the former village is a short ridge oriented north-south. The highest point on this ridge is called Nemu, which was also formerly used as a lookout for returning lagatoi and more recently as a strategic observation point during WWII; concrete gun emplacements, magazines and other structures are still visible.




FIGURE 5.6. CAUTION BAY MOTU AND KOITA PLACES: A. SOUTHERN EDGE OF DAVAGE BEACH, LOOKING NORTH, MARCH 2010 (PHOTO: ROBERT SKELLY); B. HILL DIRECTLY SOUTH OF FORMER VILLAGE OF DAVAGE, WHERE WOMEN WOULD WATCH FOR RETURNING LAGATOI ROUNDING LAGAVA ISLAND AT THE NORTHERN END OF CAUTION BAY, MARCH 2010. PRESENT BOERA VILLAGE IN LEFT FOREGROUND (PHOTO: ROBERT SKELLY); C. STILT HOUSE, SOUTH SIDE OF LEA LEA VILLAGE, JANUARY 2008. NOTE CANOE PLATFORM AT FRONT (PHOTO: BRAD DUNCAN); D. SMOKE FROM GRASS FIRES SET BY HUNTING PARTY FROM BOERA VILLAGE, OCTOBER 2009. ARCHAEOLOGICAL SITE ABBK SQUARE B EXCAVATION IN PROGRESS UNDER SHELTER (PHOTO: IAN MCNIVEN).

Davage is said to be the site where Edai Siabo in collaboration with Bokina Bokina, an important man from Dirora, and Guamo Hada an important leader from Buria, brought down the *akaka* logs for the construction of *lagatoi* hulls. It is said that relics of this venture remain 'petrified' at Davage. The involvement of Buria in the north, Dirora in the northeast and Davage/Boera in the southwest give an indication of the scale of effort involved in what is culturally said to be the first *hiri* trade ventures emanating from this region.

Clay for the Davage potters was collected from one source only, located on the eastern outskirts of present Boera village. This still exists, but is on private property and not freely accessible.

Lea Lea

Lea Lea (also sometimes Rea Rea) village is a Motuan village on the coast near the centre of Caution Bay,

where stilt houses with traditional elements are still used (Figure 5.6c). It was reported that people migrated from the inland mountains of Koita, Sogeri and Koiari and, after stopping at various places along the way, settled first on Darebo Hill and later on Buria Hill (wrongly marked on the topographic map 1:100,000 series as Darebo Hill) before moving to Lea Lea. Darebo is about 1.5km to the southeast of Buria, and was an important settlement location after Dirora but before Buria. Presently the Lea Lea villagers cultivate around Darebo Hill, which is culturally significant to the locals.

Buria Hill provided a traditional lookout spot for the returning *lagatoi* during the *hiri*. Some claim that the significance of Buria lies in its possession of a wide variety of innate powers which people can access and use to their advantage, albeit only if correct ritual procedures are adhered to. A particular variety of wood is only found at Buria, named *buria buria* that is used for carving spearheads. To the immediate east of Buria is

the Koki locality, a hill and water source that continues to supply the locals to the present. East of Koki is Dobi Hill, another ancient village site, that similarly forms part of the ancestral landscape of the Lea Lea villagers.

Immediately north of Lea Lea is Boilada, an area of gardens where several varieties of yams and tapioca were cultivated, along with bananas, sweet potatoes and sugarcane. Locals state that sugarcane figured significantly in traditional times, especially during ceremonies, but cultivation of this crop has declined dramatically in recent years. Traditionally, yams grown here are considered to have comprised of five different varieties: taitu (Dioscorea esculenta), sovoro (D. alata), and three others whose details were not recorded. A particular variety of the taitu vam was said to have been harvested two years after planting, which is unusual. Its harvest was associated with a ritual performed immediately after the first crops have been harvested. The first taitu harvested were either boiled in clay pots or roasted over the fire. All members of the iduhu (see Chapter 3) were called together and seated before the iduhu leader in a circle. The leader takes the first bite and, in one hand, moves the yam around his head and down to the abdomen area for the second round motion, before descending down to the leg area, and is further moved under the knee joints and out towards the next iduhu member, who is usually the heir apparent, eldest son of the leader. Every member of the iduhu repeats this procedure until the yam reaches the last person who finally discards it from the house. Sovoro grown near Lea Lea is so favored by the Porebada villagers that they seek these yams each time they visit, along with coconuts and mud crabs. Generally, planting of yams is seasonal and occurs between October and March, while harvesting commences in July.

Conclusions

The Caution Bay study area and its immediate environs was predominantly a hunting, fishing and, to a limited extent, gardening area, that contributed to the subsistence requirements of Lea Lea, Papa, Boera and Porebada villages at the time of this study. Since the cessation of cattle herding (see Chapter 7) and other related activities on the land a few decades ago, a small number of gardens have been established in the study area (e.g., a banana patch at Konekaru), with a few more just outside it towards Papa village next to hamlets around Nebira Hill. Crab collecting and fishing along the shorelines of Konekaru, Bogi, Bubuaia and Vaihua, and occasional hunting of flying foxes among the mangroves, occur in the study area. Hunting in groups aided with the burning of Kunai grass (seviro) is less common these days, although a few small-scale hunts of this nature were witnessed in the study area on separate occasions in late 2009 and early 2010 by archaeologists conducting the excavations (McNiven et al. 2012a: 144-145) and involved substantial grass fires (Figure 5.6d).

The number of places recorded on the seascape indicates the ongoing importance of the sea to the local people for subsistence, but also because of the former activities and stories associated with the culture hero Edai Siabo and the *hiri*.

The oral historical information recorded for this study mentioned several former permanent settlements located at Caution Bay: Konekaru, Aemakara, Davage, Dirora, Buria and Darebo. Of these, only Konekaru was located in the study area, with Aemakara a short distance outside the study area to the southwest. The Bokina Bokina locality, also within the study area, presents the possibility of an older settlement locality, with the inhabitants said to have originated from the former hilltop settlement of Dirora.

References

- Abbot, R. T. and Dance, S. P. 1982. *Compendium of Seashells*. New York, E. P. Dutton.
- Afiati, N. 2007. Gonad maturation of two intertidal blood clams: Anadara granosa (L.) and Anadara antiquata (L.) (Bivalvia: Arcidae) in central Java. Journal of Coastal Development 10: 105–113.
- Allen, B. and Bourke, R. M. 2009. People, land and environment. In R. M. Bourke and T. Harwood (eds), *Food and Agriculture in Papua New Guinea*: 28–121. Canberra, ANU E Press.
- Allen, J. 1972. Nebira 4: an early Austronesian site in central Papua. Archaeology and Physical Anthropology in Oceania 8: 92–124.
- Allen, J. 1977a. Fishing for wallabies: trade as a mechanism for social interaction, integration and elaboration on the central Papuan coast. In J. Friedman and M. J. Rowlands (eds), *The Evolution of Social Systems*: 419–455. London, Duckworth.
- Allen, J. 1977b. Sea traffic, trade and expanding horizons. In J. Allen, J. Golson and R. Jones (eds), *Sunda and Sahul*: 387–417. London, Academic Press.
- Allen, J. 1977c. Adaptations to the food quest in prehistoric Papua New Guinea. In J. V. S. Megaw (ed.), Hunters, Gatherers, and First Farmers Beyond Europe: 167–188. London, Leicester University Press.
- Allen, J. 1978. The physical and cultural setting of Motupore Island, Central Province, Papua New Guinea. Bulletin of the Indo-Pacific Prehistory Association 1: 47-55.
- Allen, J. 1982. Pre-contact trade in Papua New Guinea.
 In R. J. May and H. Nelson (eds), *Melanesia: Beyond Diversity*: 193–206. Research School of Pacific Studies. Canberra, Australian National University.
- Allen, J. 1984. Pots and poor princes: a multidimensional approach to the role of pottery trading in coastal Papua. In S. E. van der Leeuw and A. C. Pritchard (eds), *The Many Dimensions of Pottery*: 407–463. Amsterdam, University of Amsterdam.
- Allen, J. 1991. Hunting for wallabies: the importance of *Macropus agilis* as a traditional food resource in the Port Moresby hinterland. In A. Pawley (ed.), *Man and a Half: Essays in Pacific Anthropology and Ethnobiology in Honour of Ralf Bulmer*: 457–451. The Polynesian Society Memoir 48. Auckland, The Polynesian Society.
- Allen, J., Holdaway, S. and Fullagar, R. 1997. Identifying specialisation, production and exchange in the archaeological record: the case of shell bead manufacture on Motupore Island, Papua. Archaeology in Oceania 32: 13–38.

- Allen, J. and Rye, O. S. 1982. The importance of being earnest in archaeological investigations of prehistoric trade in Papua. In T. E. Dutton (ed.), *The Hiri in History: Further Aspects of Long Distance Motu Trade in Central Papua*: 99–115. Pacific Research Monograph 8, Research School of Pacific Studies, Australian National University. Canberra, Australian National University.
- Allen, J., Summerhayes, G. R., Mandui, H. and Leavesley, M. 2011. New data from Oposisi: implications for the Early Papuan Pottery phase. *Journal of Pacific Archaeology* 2: 69–81.
- Allen, M. S. and Wallace, R. 2007. New evidence from the East Polynesian gateway: substantive and methodological results from Aitutaki, Southern Cook Islands. *Radiocarbon* 49: 1163–1179.
- Allison, A. 2007. Herpetofauna of Papua. In A. J. Marshall and B. M. Beehler (eds), *The Ecology of Papua, Part One*: 564–616. The Ecology of Indonesia Series, Volume VI. Hong Kong, Periplus Editions.
- Arifin, K. 1990. Social Aspects of Pottery Manufacture in Boera, Papua New Guinea. Unpublished MA thesis, Australian National University.
- Bailey, G. 1993. Shell mounds in 1972 and 1992: reflections on recent controversies at Ballina and Weipa. *Australian Archaeology* 37: 1–18.
- Barham, A. J. 2000. Late Holocene maritime societies in the Torres Strait Islands, northern Australia: cultural arrival or cultural emergence? In S. O'Connor and P. Veth (eds), *East of Wallace's Line: Studies of Past* and Present Maritime Cultures of the Indo-Pacific Region: 223–314. Rotterdam, A. A. Balkema.
- Barnett, G. L. 1978. A Manual for the Identification of Fish Bones: A Guide to the Comparative Skeletal Collection in the Department of Prehistory, Australian National University. Technical Bulletin of the Department of Prehistory, Research School of Pacific Studies. Canberra, Australian National University.
- Baron, J. and Clavier, J. 1992. Effects of environmental factors on the distribution of the edible bivalves *Atactodea striata*, *Gafrarium tumidum* and *Anadara scapha* on the coast of New Caledonia (SW Pacific). *Aquatic Living Resources* 5: 107–114.
- Barton, F. R. 1910. The annual trading voyages to the Papuan Gulf. In C. G. Seligmann (ed.), *The Melanesians of British New Guinea*: 96–120. Cambridge, Cambridge University Press.
- Bastard, E. M. 1918. Vocabularies: Abau Station, Eastern Division. Name of tribe, Lau'una. Names of villages, Bulumai, Dedele, and Bomguina River, E.D. In J. H.

- P. Murray (ed.), *Papua: Annual Report for the Year* 1917-18: 89. Melbourne, Government Printer.
- Beehler B. M., Pratt, T. K. and Zimmerman, D. A. 1986. *Birds of New Guinea*. Princeton, Princeton University Press.
- Beesley P. L., Ross, G. J. B. and Wells, A. (eds) 1998.Mollusca: The Southern Synthesis. Fauna of Australia. Volume 5. Melbourne, CSIRO Publishing.
- Bell, H. L. 1982. Abundance and seasonality of the savanna avifauna at Port Moresby, Papua New Guinea. *Ibis* 124: 252-274.
- Bellchambers, L. M., Meeuwig, J. J., Evans, S. N. and Legendre, P. 2011. Modelling habitat associations of the Common Spider Conch in the Cocos (Keeling) Islands. *Marine Ecology Progress Series* 432: 83–90.
- Bellwood, P., Fox, J. J. and Tryon, D. (eds) 2006. The Austronesians: Historical and Comparative Perspectives. Canberra, ANU E Press.
- Belshaw, C. 1957. *The Great Village*. London, Routledge and Kegan Paul.
- Bickler, S. H. 1997. Early pottery exchange along the south coast of Papua New Guinea. *Archaeology in Oceania* 32: 151–162.
- Blust, R. 1990. Three recurrent changes in Oceanic languages. In J. H. C. S. Davidson (ed.), *Pacific Island Language: Essays in Honour of G. B. Milner*: 7–28. London, School of Oriental and African Studies, University of London.
- Bonaccorso, F. J. 1998. Bats of Papua New Guinea. Conservation International Tropical Field Guide Series, 2. Washington D.C., Conservation International.
- Bonnardin S. 2003. La parure funéraire des 6e et 5e millénaires avant J.-C. dans le bassin Parisien et la plaine du Rhin supérieur: traces d'usure, fonctionnement et fonction des objets de parure. In P. Chambon and J. Leclerc (eds), Pratiques Funéraires du Néolithique Ancien et Moyen en France et dans les Régions Limitrophes entre 5000 et 3500 Environ av. J.-C.: 93–113. Musée des Antiquités Nationales, Saint-Germain-en-Laye, Mémoire de la Société Préhistorique Française, t. XXXIII.
- Bonnardin S. 2012. Parures de coquillages du Néolithique en Europe (VIe-Ve millénaires av. J.-C.). In E. Faugère and I. Sénépart (eds), *Itinéraires de Coquillages, Techniques & Culture*: 27–43. *Edition de la Maison des Sciences de l'Homme*, n°59.
- Bowdler, S. 1984. *Hunter Hill, Hunter Island*. Terra Australis 8. Canberra, Research School of Pacific Studies, Australian National University.
- Bowdler, S. 2014. Shell middens and mollusks. In J. Balme and A. Paterson (eds), *Archaeology in Practice: A Student Guide to Archaeological Analyses*: 361–384. Chichester, John Wiley and Sons Inc.
- Bradley, S., Shashoua, Y. and Walker, W. 1999. A novel inorganic polymer for the conservation of ceramic objects. In J. Bridgland and J. Brown (eds), *ICOM*-

- CC 12th Triennial Meeting/Conference Preprints, Lyon, 29th August–3rd September 1999: 770–776. London, ICOM Committee for Conservation.
- British Broadcasting Corporation [BBC]. 2006. Average conditions, Port Moresby, Papua New Guinea. http://www.bbc.co.uk/weather/world/city_guides/results.shtml?tt=TT003090 (15 September 2008).
- Brock, J. 2001. *Native Plants of Northern Australia*. Sydney: Reed New Holland Press.
- Bronk Ramsey, C. 1995. Radiocarbon calibration and analysis of stratigraphy: the OxCal Program. *Radiocarbon* 37: 425–430.
- Bronk Ramsey, C. 2009a. Bayesian analysis of radiocarbon dates. *Radiocarbon* 51:337–360.
- Bronk Ramsey, C. 2009b. Dealing with outliers and offsets in radiocarbon dating. *Radiocarbon* 51: 1023–45.
- Bronk Ramsey, C. 2013. OxCal Program v4.2.2. Radiocarbon Accelerator Unit, University of Oxford.
- Broom, M. J. 1985. *The Biology and Culture of Marine Bivalve Molluscs of the Genus Anadara*. Manila, International Center for Living Aquatic Resources Management.
- Bulmer, S. E. 1969. Archaeological Field Survey and Excavations in Central Papua, 1968. Report to the Department of Anthropology and Sociology, the University of Papua and New Guinea.
- Bulmer, S. E. 1971. Prehistoric settlement patterns and pottery types in the Port Moresby area: a preliminary review. *Journal of the Papua and New Guinea Society* 5(2): 28–91.
- Bulmer, S. E. 1978. *Prehistoric Culture Change in the Port Moresby Region*. Unpublished PhD thesis, University of Papua New Guinea.
- Bulmer, S. E. 1982. West of Bootless Inlet: archaeological evidence for prehistoric trade in the Port Moresby area and the origins of the Hiri. In T. E. Dutton (ed.), *The Hiri in History: Further Aspects of Long Distance Motu Trade in Central Papua*: 117–130. Pacific Research Monograph 8, Research School of Pacific Studies. Canberra, Australian National University.
- Bureau of Meteorology [BoM]. 2015a. Climate and past weather. Commonwealth of Australia, Bureau of Meteorology, Canberra. http://www.bom.gov.au/climate/ (27 January 2015).
- Bureau of Meteorology [BoM]. 2015b. Southern hemisphere tropical cyclone data portal. Canberra, Commonwealth of Australia, Bureau of Meteorology. http://www.bom.gov.au/cyclone/history/tracks/ (2 February 2015).
- Burns, T. 2000. Late Holocene Indigenous Economies of the Tropical Australian Coast: An Archaeological Study of the Darwin Region. Unpublished PhD thesis, Northern Territory University.
- Buys, S. and Oakley, V. 1993. *Conservation and Restoration of Ceramics*. London, Butterworth-Heinemann.

- Carpenter, K. E. and Niem, V. H. (eds) 1998. The Living Marine Resources of the Western Central Pacific. Volume 1: Seaweeds, Corals, Bivalves and Gastropods. Rome, Food and Agriculture Organisation of the United Nations.
- Carter, M., Barham, A. J., Veth, P., Bird, D. W., O'Connor, S. and Bird, R. B. 2004. The Murray Islands Archaeological Project: preliminary results of excavations on Mer and Dauar, eastern Torres Strait. In I. J. McNiven and M. Quinnell (eds), *Torres Strait Archaeology and Material Culture*: 163–182. Memoirs of the Queensland Museum, Cultural Heritage Series, No. 3, Pt. 1. South Brisbane, Queensland Museum.
- Cernohorsky, W. O. 1972. *Marine Shells of the Pacific*, Volume 2. Sydney, Pacific Publications.
- Cernohorsky, W. O. 1978. *Tropical Pacific Marine Shells*. Sydney, Pacific Publications.
- Chalmers, J. 1887. History and description of pottery trade: a Papuan Enoch Arden. In J. W. Lindt (ed.), *Picturesque New Guinea*: 118–125. London, Longmans, Green.
- Chalmers, J. 1895. *Pioneering Life and Work in New Guinea* 1877-1894. London, Religious Tract Society.
- Chappell, J. 2005. Geographic changes of coastal lowlands in the Papuan past. In A. Pawley and R. Attenborough (eds), *Papuan Pasts: Cultural, Linguistic and Biological Histories of Papuan-Speaking Peoples*: 525–539. Canberra, ANU Press.
- Chatterton, P. 1968. The story of a migration. *The Journal of the Papua and New Guinea Society*, 2: 92–95.
- Chatterton, P. 1980. *Day that I have Loved*. Sydney, Pacific Publications.
- Chester, H. M. 1878. *Narrative of Expedition to New Guinea*. Brisbane, Government Printer.
- Claassen, C. L. 1998. *Shells*. Cambridge, Cambridge University Press.
- Clarkson, C. and Schmidt, L. 2011. Stone artefact manufacture at the Natunuku, Votua, Kulu and Ugaga Sites, Fiji. In G. Clark and A. Anderson (eds), *The Early Prehistory of Fiji*: 345-372. Terra Australis 31. Canberra, ANU E Press.
- Coates, B. J. 1985. The Birds of Papua New Guinea, Including the Bismarck Archipelago and Bougainville. Volume I, Non-Passerines. Alderley, Queensland, Dove Publications.
- Coates, B. J. 1990. The Birds of Papua New Guinea, Including the Bismarck Archipelago and Bougainville. Volume II, Passerines. Alderley, Queensland, Dove Publications.
- Coffey Natural Systems [CNS]. 2008a. Nearshore marine impact assessment. Report prepared by Coffey Natural Systems Pty Ltd for Esso Highlands Ltd, PNG LNG Project. Appendix 23 in CNS 2009, PNG LNG Project. Environmental Impact Statement. http://www.pnglng.com/downloads/eis_appendix23.pdf (27 January 2015).

- Coffey Natural Systems [CNS]. 2008b Resource use survey of Caution Bay. Report prepared by Coffey Natural Systems Pty Ltd for Esso Highlands Ltd, PNG LNG Project. Appendix 24 in CNS 2009, PNG LNG Project. Environmental Impact Statement. http://www.pnglng.com/downloads/eis_appendix24.pdf (27 January 2015).
- Coffey Natural Systems [CNS]. 2009. PNG LNG Project. Environmental impact statement. Environmental impact statement commissioned by ExxonMobil Corporation for the purpose of section 50 of the Environment Act 2000 (PNG) and prepared by Esso Highlands Ltd and Coffey Natural Systems Pty Ltd. http://www.pnglng.com/commitment/environment/eis (27 January 2015).
- Coleman, N. 2003. Sea Shell Catalogue of Indo Pacific Mollusca. Springwood, Litho Art.
- Constancio, C., Franco, L., Russo, A., Anjinho, C., Pires, J., Vaz, M. and Carvalho, A. 2010. Studies on polymeric conservation treatments of ceramic tiles with Paraloid B-72 and two alkoxysilanes. *Journal of Applied Polymer Science* 116: 2833–2839.
- Coote, K. and Sand, C. 1999. The conservation of Lapita pottery: ignore it at your peril. In J. C. Galipaud and I. Lilley (eds), *The Western Pacific from 5000 to 2000 BP. Colonisation and Transformations*: 333–343. Paris, IRD Éditions.
- Cotterell, B. and Kamminga, J. 1987. The formation of flakes. *American Antiquity* 52: 675–708.
- Cribb, A. B. 1990. Coral reefs. In M. N. Clayton and R. J. King (eds), *Biology of Marine Plants*: 350-366. Melbourne, Longman Cheshire.
- Crocombe, M. 1982. Ruatoka: a Cook Islander in Papuan history. In R. Crocombe and M. Crocombe (eds), *Polynesian Missions in Melanesia*: 55–78. Suva, University of the South Pacific.
- Dance, S. P. 1977. *The Encyclopedia of Shells*. Sydney, Australia and New Zealand Book Company.
- David, B. 2008. Rethinking cultural chronologies and past landscape engagement in the Kopi region, Gulf Province, Papua New Guinea. *The Holocene* 18: 463–479.
- David, B., Araho, N., Barker, B., Kuaso, A., and Moffat, I. 2009. Keveoki 1: exploring the *Hiri* ceramics trade at a short-lived village site near the Vailala River, Papua New Guinea. *Australian Archaeology* 68: 11–23.
- David, B., Araho, N., Kuaso, A., Moffat, I. and Tapper,
 N. 2008. The Upihoi find: wrecked wooden Bevaia
 (Lagatoi) hulls of Epemeavo Village, Gulf Province,
 Papua New Guinea. Australian Archaeology 66:
 1–14.
- David, B., Geneste, J.-M., Aplin, K., Delannoy, J.-J.,
 Araho, N., Clarkson, C., Connell, K., Haberle, S.,
 Barker, B., Lamb, L., Stanisic, J., Fairbairn, A.,
 Skelly, R. and Rowe, C. 2010. The Emo site (OAC),
 Gulf Province, Papua New Guinea: resolving long-standing questions of antiquity and implications

- for the history of the ancestral *Hiri* maritime trade. *Australian Archaeology* 70: 39–54.
- David, B., McNiven, I. J., Jones-Amin, H., Connaughton, S. P., Parkinson, C., Rowe C., Richards, T., Leavesley, M., Barker, B., Mandui, H., Campanelli, G. and Flood, N. 2013. Three reconstructed Lapita pots from Caution Bay, south coast of mainland Papua New Guinea. In G. R. Summerhayes and H. Buckley (eds), *Pacific Archaeology: Documenting the Past 50,000 Years*: 157–170. University of Otago Studies in Archaeology No. 25.
- David, B., McNiven, I. J., Leavesley, M., Barker, B., Mandui, H., Richards, T. and Skelly, R. 2012. A new ceramic assemblage from Caution Bay, south coast of mainland Papua New Guinea: the Linear Shell Edge-Impressed tradition from Bogi 1. *Journal of Pacific Archaeology* 3: 73–89.
- David, B., McNiven, I. J., Mitchell, R., Orr, M., Haberle, S., Brady, L. and Crouch, J. 2004. Badu 15 and the Papuan-Austronesian settlement of Torres Strait. *Archaeology in Oceania* 39: 65–78.
- David, B., McNiven, I. J., Richards, T., Connaughton, S. P., Leavesley, M., Barker, B. and Rowe, C. 2011. Lapita sites in the Central Province of mainland Papua New Guinea. World Archaeology 43: 576–593.
- Davies, H. L. and Jaques, A. L. 1984. Emplacement of ophiolite in Papua New Guinea. In I. G. Gass, S. J. Lippard and A. W. Shelton (eds), *Ophiolites and Oceanic Lithosphere*: 341–349. Geological Society, London, Special Publications, Volume 13. London, Geological Society.
- Davies, H. L. and Smith, I. E. 1971. Geology of Eastern Papua. *Geological Society of America Bulletin* 82: 3299.
- Dearden, P. N. 1987. Soil Survey and Land Use Potential of the Aroa River Area Central Province. Research Bulletin No. 40. Port Moresby, Department of Primary Industry.
- Dell, R. K. 1951. A key to the common chitons of New Zealand. *Tuatara* 4(1): 4-12.
- Denham, T., Bronk Ramsey, C. and Specht, J. 2012. Dating the appearance of Lapita pottery in the Bismarck Archipelago and its dispersal to remote Oceania. *Archaeology in Oceania* 47: 39–46.
- Domínguez-Rodrigo, M., Egeland, C. P. and Barba, R. 2007. The 'physical attribute' taphonomic approach. In M. Domínguez-Rodrigo, R. Barba and C. P. Egeland (eds), *Deconstructing Olduvai: A Taphonomic Study of the Bed I Sites*: 23–32. Vertebrate Paleobiology and Paleoanthropology Series. Dordrecht, Springer.
- Dutton, T. E. 1966. Koita Word Lists. Unpublished manuscript in possession of author.
- Dutton, T. E. 1969. *The Peopling of Central Papua:* Some Preliminary Observations. Australian National University, Pacific Linguistics, Series B, No. 9. Canberra, Australian National University.
- Dutton, T. E. 1970. Notes on the languages of the Rigo area of the Central District of Papua. In S. A. Wurm

- and D. C. Laycock (eds), *Pacific Linguistics Studies in Honour of Arthur Capell*: 879-985. Australian National University, Pacific Linguistics, Series C, No. 13. Canberra, Australian National University.
- Dutton, T. E. 1971. Languages of South-East Papua: A Preliminary Survey. Australian National University, Pacific Linguistics, Series A, No. 28. Canberra, Australian National University.
- Dutton, T. E. 1975. A Koita grammar sketch and vocabulary. In T. E. Dutton (ed.), Studies in Languages of Central and South-East Papua: 281-412. Australian National University, Pacific Linguistics, Series C, No. 29. Canberra, Australian National University.
- Dutton, T. E. 1978. Language and trade in central and south-east Papua. *Mankind* 11: 341–353.
- Dutton, T. E. 1979. Simplified Koriki: a second trade language used by the Motu in the Gulf of Papua. *Kivung* 12: 3–74.
- Dutton, T. E. 1982a. Towards a history of the Hiri: some beginning linguistic observations. In T. E. Dutton (ed.), The Hiri in History: Further Aspects of Long Distance Motu Trade in Central Papua: 65-98.
 Australian National University, Research School of Pacific Studies, Pacific Research Monograph, No. 8.
 Canberra, Australian National University.
- Dutton, T. E. 1982b. Borrowing in Austronesian and non-Austronesian languages of coastal southeast mainland Papua New Guinea. In A. Halim, L. Carrington and S. A. Wurm (eds), Papers from the Third International Conference on Austronesian Linguistics: Currents in Oceania: 109–177. Australian National University, Pacific Linguistics, Series C, No. 74. Canberra, Australian National University.
- Dutton, T. E. 1983. Birds of a feather: a pair of rare pidgins from the Gulf of Papua. In E. Woolford and W. Washabaugh (eds), *The Social Context of Creolization*: 77–105. Chicago, Karoma Press.
- Dutton, T. E. 1985. *Police Motu: Iena Sivarai*. Port Moresby, University of Papua New Guinea Press.
- Dutton, T. E. 1994. Motu-Koiarian contact, Papua New Guinea. In T. E. Dutton and Darrell Tryon (eds), Language Contact and Change in the Austronesian World: 181-232. Berlin, Mouton de Gruyter.
- Dutton, T. E. 2007. A Dictionary of Koita, Papua New Guinea. Unpublished typescript, National Archives of Papua New Guinea, Port Moresby and in the Pacific Research Archives in the Menzies Library, Australian National University, Canberra.
- Dutton, T. E. 2010a. Reconstructing Proto Koiarian: The History of a Papuan Language Family. Australian National University, Pacific Linguistics, 610. Canberra, Australian National University.
- Dutton, T. E. 2010b. The dialects of Koiari revisited. In K. A. McElhanon and G. P. Reesink (eds), *A Mosaic of Languages and Cultures: Studies Celebrating the*

- *Career of Karl J. Franklin*: 111–137. Dallas, Summer Institute of Linguistics International.
- Dutton, T. E. and Kakare, I. 1977. The Hiri Trading Language of Central Papua: A First Survey.
 Occasional Paper 15. Port Moresby, Department of Language, University of Papua New Guinea.
- Eden, M. J. 1974. The origin and status of savanna and grassland in southern Papua. *Transactions of the Institute of British Geographers* 63: 97–110.
- Eden, M. J. 1993. Swidden cultivation in forest and savanna in lowland southwest Papua New Guinea. *Human Ecology* 21: 145–166.
- Ellison, J. 2005. Holocene palynology and sealevel change in two estuaries in southern Irian Jaya. *Palaeogeography, Palaeoclimatology, Palaeoecology* 220: 291–309.
- Feld, S. 2012. Sound and Sentiment: Birds, Weeping, Poetics, and Song in Kaluli Expression. Durham, Duke University Press.
- Filer, C. 2011. New land grab in Papua New Guinea. *Pacific Studies* 34: 269–294.
- Filer, C. 2012. Why green grabs don't work in Papua New Guinea. *Journal of Peasant Studies* 39: 599–617.
- Finsch, O. 1903. Papua-töpferei. Globus 84: 329-34.
- Finsch, O. 1914. Südseearbeiten. Gewerbe- und Kunstfleiss, Tauschmittel und 'Geld' der Eingeborenen auf Grundlage der Rohstoffe und der georaphischen Verbreitung. Abhandlungen des Hamburgischen Kolonialinstituts, Band XIV. Reihe B, Völkerkunde, Kulturgeschichte und Sprachen, Band 9. Hamburg, L. Friederichsen and Co.
- Firth, S. 1975. The Missions: from Chalmers to indigenisation. *Meanjin* 34: 342–350.
- Fitzpatrick, E. A. 1965. Climate of the Port Moresby-Kairuku area. In Lands of the Port Moresby-Kairuku Area, Territory of Papua and New Guinea: 83–97. Commonwealth Scientific and Industrial Research Organisation, Land Research Series No. 14. Melbourne, CSIRO.
- Flannery, T. F. 1995a. *Mammals of New Guinea*. New Edition. Chatswood, Reed Books.
- Flannery, T. F. 1995b. *Mammals of the South-West Pacific and Moluccan Islands*. Chatswood, Reed Books.
- Fort, G. S. 1886. British New Guinea. Report on British New Guinea from Data and Notes by the Late Sir Peter Scratchley, Her Majesty's Special Commissioner. Melbourne, John Ferres, Government Printer.
- Fox, R. 1976. *Kinship and Marriage*. Middlesex, Penguin Books.
- Frankel, D., Thompson, K. and Vanderwal, R. 1994. Kerema and Kinomere. In D. Frankel and J. W. Rhoads (eds), *Archaeology of a Coastal Exchange System: Sites and Ceramics of the Papuan Gulf*: 1–49. Division of Archaeology and Natural History, Research School of Pacific and Asian Studies,

- Australian National University. Canberra, Australian National University.
- Frankel, D. and Vanderwal, R. 1982. Prehistoric research at Kinomere Village, Papua New Guinea, 1981: preliminary field report. *Australian Archaeology* 14: 86–95.
- Frankel, D. and Vanderwal, R. 1985. Prehistoric research in Papua New Guinea. *Antiquity* 59: 113–115.
- Franzoni, E., Pigino, A., Leema, A. and Lura, P. 2013. Use of TEOS for fired-clay bricks consolidation. *Materials and Structures* 47: 1175–1184.
- Freestone, I. C. 2001. Post depositional changes in archaeological ceramics and glasses. In D. R. Brothwell and A. M. Pollard (eds), *Handbook of Archaeological Sciences*: 615–625. West Sussex, John Wiley and Sons, Ltd.
- Friedman, G. M. 1959. Identification of carbonate minerals by staining methods. *Journal of Sedimentary Petrology* 29: 87–97.
- Frodin, D. G. and Gressitt, J. L. 1982. Biological exploration of New Guinea. In J. L. Gressitt (ed.), *Biogeography and Ecology of New Guinea*: 87–130. The Hague, Dr W. Junk Publishers.
- Fruscher, S. D. 1983. The ecology of juvenile Penaeid prawns, Mangrove Crab (Scylla serrata) and the Giant Freshwater Prawn (Macrobrachium rosenbergii) in the Purari Delta. In T. Petr (ed.), *The Purari Tropical Environment of a High Rainfall River Basin*: 341–353. Monographiae Biologicae, 51. The Hague, Springer Netherlands.
- Gagan, M. K., Hendy, E. J., Haberle, S. G. and Hantoro,
 W. S. 2004. Post-glacial evolution of the Indo-Pacific
 Warm Pool and El Nino-Southern Oscillation.
 Quaternary International 118: 127–143.
- Georges, A. and Thomson, S. 2010. Diversity of Australasian freshwater turtles, with an annotated synonymy and keys to species. *Zootaxa* 2496: 1-37.
- Gillison, A. N. 1983. Tropical savannas of Australia and the southwest Pacific. In F. Bourliére (ed.), *Ecosystems of the World: Tropical Savannas*: 183–238. Amsterdam, Elsevier Publishing.
- Gillon, D. 1983. The fire problem in tropical savannas. In F. Bourliére (ed.), *Ecosystems of the World: Tropical Savannas*: 617–638. Amsterdam, Elsevier Publishing.
- Glaessner, M. 1952. Geology of Port Moresby, Papua. In M. F. Glaessner and E. A. Rudd (eds), Sir Douglas Mawson Anniversary Volume, Contributions to Geology in Honour of Professor Sir Douglas Mawson's 70th Birthday Anniversary: 63–86. Adelaide, The University of Adelaide.
- Goddard, M. 2001. Rethinking Western Motu descent groups. *Oceania* 71: 313–333.
- Goddard, M. 2003. The age of steam: constructed identity and recalcitrant youth in a Papua New Guinea village. In S. Dinnen (ed.), *A Kind of Mending: Restorative Justice in the Pacific Islands*: 45–72. Canberra, Pandanus Books.

- Goddard, M. 2007. Le Fijien fou avec le singe et autres histoires d'une petite île près de Port Moresby (Papuasie Nouvelle-Guinée). *Journal de la Société des Océanistes* 125: 237–247.
- Goddard, M. 2008. From 'my story' to 'the story of myself': colonial transformations of personal narratives among the Motu-Koita of Papua New Guinea. In B. Lal and V. Luker (eds), *Telling Pacific Lives: Prisms of Progress*: 35–50. Canberra, ANU E Press.
- Goddard, M. 2010. Heat and history: the Motu-Koita and Moresby. In M. Goddard (ed.), *Villagers and the City: Melanesian Experiences of Port Moresby, Papua New Guinea*: 19–46. Wantage, Sean Kingston Press.
- Goddard, M. 2011a. Bramell's rules: custom and law in contemporary land disputes among the Motu-Koita of Papua New Guinea. *Pacific Studies* 34: 323–349.
- Goddard, M. 2011b. Historicizing Edai Siabo: a contemporary argument about the pre-colonial past among the Motu-Koita of Papua New Guinea. *Oceania* 81: 280–296.
- Goddard, M. 2013. Knowing and the truth: three histories of Daugo Island, Papua New Guinea. *Australian Journal of Anthropology* 24: 1–17.
- Golson, J. 1968. Introduction to Taurama archaeological site Kirra Beach. *Journal of the Papua and New Guinea Society* 2: 67–71.
- Grayson, D. K. 1984. *Quantitative Zooarchaeology:* Topics in the Analysis of Archaeological Fauna. Orlando, Academic Press.
- Green, R. C. 1991. The Lapita Cultural Complex: current evidence and proposed models. *Bulletin of the Indo-Pacific Prehistory Association* 11: 295–305.
- Gregory, C. 1980. Gifts to men and gifts to God: gift exchange and capital accumulation in contemporary Papua. *Man* 15: 626–652.
- Grindrod, J., Moss, P. and van der Kaars, S. 2002.
 Mangrove palynology in continental shelf and deep sea cores in the North Australia-Indonesian region.
 In P. Kershaw, B. David, N. J. Tapper, D. Penny, and J. Brown (eds), Bridging Wallace's Line, the Environmental and Cultural History and Dynamics of the SE Asian-Australian Region: 119-146. Advances in GeoEcology 34. Reiskirchen: Catena Verlag.
- Grist, R. W. 1926. Languages of the Abau District. In J. H. P. Murray (ed.), *Territory of Papua: Annual Report for the Year 1925-1926*: 92–97. Melbourne, Government Printer.
- Groves, M. 1954. Dancing in Poreporena. *Journal of the Royal Anthropological Institute of Great Britain and Ireland* 84: 75–90.
- Groves, M. 1958. Motu kinship terminology. *Man* 58: 131–132.
- Groves, M. 1960. Motu pottery. *Journal of the Polynesian Society* 69: 3-22.
- Groves, M. 1963. Western Motu descent groups. *Ethnology* 2: 15–30.

- Groves, M. 1972. Hiri. In P. Ryan (ed.), Encyclopaedia of Papua and New Guinea: 523–526. Melbourne, Melbourne University Press.
- Groves, M. 2011. *The Motu of Papua: Tradition in a Time of Change.* Vancouver, Webzines of Vancouver.
- Gwilliam, J. W. 1982. Some religious aspects of the Hiri. In T. E. Dutton (ed.), *The Hiri in History: Further Aspects of Long Distance Motu Trade in Central Papua*: 35–63. Pacific Research Monograph 8, Research School of Pacific Studies, Australian National University. Canberra, Australian National University.
- Habe, T. 1964. *Shells of the Western Pacific in Color*, Volume 2. Osaka, Hoikusha Publishing Company.
- Haddon, A. C. 1894. The Decorative Art of British
 New Guinea: A Study in Papuan Ethnography.
 Cunningham Memoir 10. Dublin, Royal Irish
 Academy.
- Haddon, A. C. 1900. Studies in anthropogeography of British New Guinea. *Geographical Journal* 16: 265–291, 414–441.
- Haddon, A. C. 1975 [1937]. The Canoes of Melanesia,
 Queensland, and New Guinea, Volume 2 of Canoes of Oceania,
 A. Haddon and J. Hornell. Bernice P. Bishop Museum Special Publications, 28. Honolulu,
 Bishop Museum.
- Halvaksz, J. 2003. Singing about the land among the Biangai. *Oceania* 7: 153–169.
- Hanslip, M. D. 2001. Expedient Technologies?: Obsidian Artefacts in Island Melanesia. Unpublished PhD thesis, Australian National University.
- Harding, T. G. 1967. Voyagers of the Vitiaz Strait: A Study of a New Guinea Trade System. Seattle, University of Washington Press.
- Harris, M., Weisler, M. and Faulkner, P. 2015. A refined protocol for calculating MNI in archaeological molluscan shell assemblages: a Marshall Islands case study. *Journal of Archaeological Science* 57: 168-179.
- Hastenrath, S. 2012. Contempory climate and circulation of the tropics. In S. E. Metcalfe and D. J. Nash (eds), *Quaternary Environmental Change in the Tropics*: 34–43. Oxford, Blackwell Scientific Publishers.
- Hatab, L. 1990. *Myth and Philosophy: A Contest of Truths*. Illinois, Open Court.
- Hauck, V., Mandie-Filer, A. and Bolger, J. 2005.
 Ringing the Church Bell: The Role of Churches in Governance and Public Performance in Papua New Guinea. European Centre for Development Policy Management, Discussion Paper no. 57E.
 Maastricht, European Centre for Development Policy Management.
- Haynes, C. 1990. Urban Land Tenure and Administration in Papua New Guinea. Unpublished PhD thesis, Australian National University.
- Hedges, R. E. M. 2002. Bone diagenesis: an overview of processes. *Archaeometry* 44: 319–328.

- Hemer, M. A., Harris, P. T., Coleman, R. and Hunter, J. 2004. Sediment mobility due to currents and waves in the Torres Strait – Gulf of Papua region. *Continental Shelf Research* 24: 2297–2316.
- Henty, E. E. 1982. Grasslands and grassland succession in New Guinea. In J. L. Gressitt (ed.), *Biogeography* and Ecology of New Guinea: 459–474. The Hague, Dr W. Junk Publishers.
- Heyligers, P. C. 1965. Vegetation and ecology of the Port Moresby-Kairuku area. In Lands of the Port Moresby-Kairuku Area, Territory of Papua and New Guinea: 146–173. Commonwealth Scientific and Industrial Research Organisation, Land Research Series No. 14. Melbourne, CSIRO.
- Heyligers, P. C. 1966. Observations on *Themeda* australis-Eucalypt savannah in Papua. *Pacific Science* 20: 477–489.
- Heyligers, P. C. 1972. Analysis of the plant geography of the semideciduous scrub and forest and the eucalypt savannah near Port Moresby. *Pacific Science* 26: 229–241.
- Hicks, A. 1973. An account of the origins of Porebada Village. *Oral History* 4: 3-8.
- Hide, R. 2003. Pig Husbandry in New Guinea. A Literature Review and Bibliography. ACIAR Monograph No. 108. Canberra, Australian Centre for International Agricultural Research.
- Hinton, A. 1972. *Shells of New Guinea and the Central Pacific Indo-Pacific*. Port Moresby, Robert Brown and Associates and Jacaranda Press.
- Hiscock, P. 1985. The need for a taphonomic perspective in stone artefact analysis. *Queensland Archaeological Research* 2: 82–97.
- Hiscock, P. 1988. Prehistoric Settlement Patterns and Artefact Manufacture at Lawn Hill, Northwest Queensland. Unpublished PhD thesis, University of Queensland.
- Hiscock, P. 1990. A study in scarlet: taphonomy and inorganic artefacts. In S. Solomon, I. Davidson and D. Watson (eds), *Problem Solving in Taphonomy*: 34–49.
 Tempus Archaeology and Material Culture Studies in Anthropology, Vol. 2. St. Lucia, Anthropology Museum, University of Queensland.
- Hiscock, P. 2002. Quantifying the size of artefact assemblages. *Journal of Archaeological Science* 29: 251–258.
- Hitchcock, G. 1998. First record of the False Water-Rat, *Xeromys myoides* (Rodentia: Muridae), in New Guinea. *Science in New Guinea* 23: 141–144.
- Hoare, R. 2005. Climate data for 9°S 147°E: Port Moresby, Papua New Guinea. http://www.world-climates.com/city-climate-port-moresby-papua-new-guinea-oceania/ (17 August 2014).
- Hogg, A. G., Higham, T. F. G. and Dahm, J. 1998. ¹⁴C dating of modern marine and estuarine shellfish. *Radiocarbon* 40: 975–84.
- Holy, L. 1996. *Anthropological Perspectives on Kinship*. London, Pluto.

- Honda, K., Nakamura, Y., Nakaoka, M., Uy, W. H. and Fortes, M. D. 2013. Habitat use by fishes in coral reefs, seagrass beds and mangrove habitats in the Philippines. PLoS ONE 8(8): e65735. doi:10.1371/ journal.pone.0065735.
- Hope, G. 2007. Palaeoecology and palaeoenvironments of Papua. In A. J. Marshall and B. M. Beehler (eds), *The Ecology of Papua*: 255–266. Singapore, Periplus Editions.
- Hope, G. and Aplin, K. 2005. Environmental change in the Aru Islands. In S. O'Connor, M. Spriggs and P. Veth (eds), *The Archaeology of the Aru islands, Eastern Indonesia*: 25–40. Terra Australis 22. Canberra, ANU E Press.
- Hope, G., Kershaw, A. P., van der Kaars, S., Xiangjun, S.,
 Liew, P-M., Heusser, L. E., Takahara, H., McGlone,
 M., Miyoshi, N. and Moss, P. T. 2004. History of vegetation and habitat change in the Austral-Asian region. *Quaternary International* 118-119: 103–126.
- Horie, V. 2010. Materials for Conservation: Organic Consolidants, Adhesives and Coatings, 2nd Edition. Oxford, Butterworth-Heinemann.
- Houbrick, R. S. 1987. Anatomy, reproductive biology, and phylogeny of the Planaxidae (Cerithiacea: Prosobranchia). Smithsonian Contributions to Zoology 445: 1–68.
- Huber, M. E. 1994. An assessment of the status of the coral reefs of Papua New Guinea. *Marine Pollution Bulletin* 29: 69–73.
- Hudson, B. T. 1977. Dugong: Distribution, Hunting, Protective Legislation and Cultural Significance in Papua New Guinea. Wildlife in Papua New Guinea, No. 77/16. Port Moresby, Wildlife Division, Dept. of Lands and Environment.
- Hydrobiology, 2008. Aquatic fauna impact assessment. Report prepared by Hydrobiology Pty Ltd for the PNG LNG Project. Appendix 13 in CNS 2009, PNG LNG Project. Environmental Impact Statement. http://www.pnglng.com/ downloads/eis_appendix13.pdf (27 January 2015).
- Irwin, G. R. 1978. Pots and entrepots: a study of settlement, trade and the development of economic specialization in Papuan prehistory. *World Archaeology* 9: 299–319.
- Irwin, G. R. 1985. *The Emergence of Mailu as a Central Place in Coastal Papuan Prehistory*. Department of Prehistory, Research School of Pacific Studies, Terra Australis 10. Canberra, Australian National University.
- Irwin, G. R. 1991. Themes in the prehistory of coastal Papua and the Massim. In A. Pawley (ed.), *Man and a Half: Essays in Pacific Anthropology and Ethnobiology in Honour of Ralph Bulmer*: 503–511. Auckland, Polynesian Society.
- Johns, R. J. 1982. Plant zonation. In J. L. Gressitt (ed.),Biogeography and Ecology of New Guinea: 309–330.The Hague, Dr W. Junk Publishers.

- Johnstone, I. M. 1982. Ecology and distribution of the seagrasses. In J. L. Gressitt (ed.), *Biogeography and Ecology of New Guinea*: 497–512. The Hague, Dr W. Junk Publishers.
- Johnstone, I. M. and Frodin, D. G. 1982. Mangroves of Papuan subregion. In J. L. Gressitt (ed.), Biogeography and Ecology of New Guinea: 513– 528. The Hague, Dr W. Junk Publishers.
- Jones, D. S. and Morgan, G. J. 1994. A Field Guide to Crustaceans of Australian Waters. Chatswood, Reed Books.
- Jones, D. N., Dekker, R. W. R. J. and Roselaar, C. S. 1995. *The Megapodes: Megapodiidae*. Oxford, Oxford University Press.
- Kaars, S. v. d., Wang, X., Kershaw, P., Guichard, F. and Setiabudi, D. A. 2000. A late Quaternary palaeoecological record from the Banda Sea, Indonesia: patterns of vegetation, climate and biomass burning in Indonesia and northern Australia. *Palaeogeography, Palaeoclimatology, Palaeoecology* 155: 135–153.
- Kauga, R. (ed.) 2008. A Brief History of Caution Bay. Report given by local community representatives to Bruno David.
- Keesing, R. 1975. *Kin Groups and Social Structure*. New York, Holt, Rinehart and Winston.
- Keith, M. L., Anderson, G. M. and Eichler, R. 1964. Carbon and oxygen isotopic composition of mollusk shells from marine and fresh-water environments. *Geochimica et Cosmochimica Acta* 28: 1757–86.
- Kidu, C. and Homoka, S. 2001. Towards a Sustainable Development for Motu Koita Landowners in the National Capital District of Papua New Guinea. Paper presented at Indigenous Rights in the Commonwealth South Pacific Regional Expert Meeting, Nadi, Fiji, 15–16 October 2001.
- King, C. E. and Nijboer, J. 1994. Conservation considerations for crowned pigeons, genus Goura. Orvx 28: 22–30.
- King, J. 1909. W. G. Lawes of Savage Island and New Guinea. London: Religious Tract Society.
- Kira, T. 1965. Shells of the Western Pacific in Color. Volume 1. Revised Edition. Osaka, Hoikusha Publishing Company.
- Kirk, R. L. 1992. Population origins in Papua New Guinea a human biological overview. In R. D. Attenborough and M. P. Alpers (eds), *Human Biology in Papua New Guinea: The Small Cosmos*: 172–197. Oxford, Clarendon Press.
- Koler-Matznick, J., Yates, B. C., Bulmer, S. and Brisbin, I. L., Jr 2007. The New Guinea singing dog: its status and scientific importance. *Australian Mammalogy* 29: 47–56.
- Koob, S. 2009. Paraloid B-72: 5 years of use as a consolidant and adhesive for ceramics and glass. In
 J. Ambers, C. Higgitt, L. Harrison and D. Saunders (eds), Holding it All Together Ancient and Modern

- *Approaches to Joining, Repairs and Consolidation*: 113–119. London, Archetype Publications.
- Koon, H. E. C., Nicholson, R. A. and Collins, M. J. 2003. A practical approach to the identification of low temperature heated bone using TEM. *Journal of Archaeological Science* 30: 1393–1399.
- Lampert, R. J. 1968. Some archaeological sites of the Motu and Koiari areas. *The Journal of the Papua and New Guinea Society* 2: 73–78.
- Lamprell, K. and Healy, J. 1998. *Bivalves of Australia*. Volume 2. Leiden, Backhuys Publications.
- Lamprell, K. and Whitehead, T. 1992. Bivalves of Australia. Volume 1. Bathurst, Crawford House Press.
- Larson, G., Cucchi, T., Fujita, M., Matisoo-Smith, E., Robins, J., Anderson, A., Rolett, B., Spriggs, M., Dolman, G., Kim, T.-H., Thuy, N. T. D., Randi, E., Doherty, M., Due, R. A., Bollt, R., Djubiantono, T., Griffin, B., Intoh, M., Keane, E., Kirch, P., Li, K.-T., Morwood, M., Pedriña, L. M., Piper, P. J., Rabett, R. J., Shooter, P., Van den Bergh, G., West, E., Wickler, S., Yuan, J., Cooper, A. and Dobney, K. 2007. Phylogeny and ancient DNA of *Sus* provides insights into neolithic expansion in Island Southeast Asia and Oceania. *Proceedings of the National Academy of Sciences* 104: 4834–4839.
- Lawes, W. 1879. Ethnological notes on the Motu, Koitapu and Koiari tribes of New Guinea. *Journal* of the Anthropological Institute of Great Britain and Ireland, 8: 369–377.
- Leach, F., Davidson, J., Claridge, G., Ward, G. and Craib, J. 2008. The physical and mineralogical characteristics of pottery from Mochong, Rota, Mariana Islands. In G. Clarke, F. Leach and S. O'Connor (eds), Islands of Enquiry: Colonisation, Seafaring and the Archaeology of Maritime Landscapes: 435–452. Terra Australis 29. Canberra, ANU E Press.
- Leask, M. F. 1943. A kitchen midden in Papua. *Oceania* 13: 235–242.
- Lees, B. G. 1992. Geomorphological evidence for late Holocene climatic change in northern Australia. *Australian Geographer* 23: 1–10.
- Lennox, C. 1903. James Chalmers of New Guinea: Missionary, Pioneer, Martyr. Chapter 14 Work and Adventures in the Gulf: 1883. http://www.electricscotland.com/History/other/james_chalmers 14.htm (25 June 2014).
- Lévi-Strauss, C. 1969. *The Elementary Structures of Kinship*. Boston, Beacon Press.
- Lewis, D. 1994. We, the Navigators: The Ancient Art of Landfinding in the Pacific. Honolulu, University of Hawai'i Press.
- Lewis, S. E., Sloss, C. R., Murray-Wallace, C. V., Woodroffe, C. D. and Smithers, S. G. 2013. Postglacial sea-level changes around the Australian margin: a review. *Quaternary Science Reviews*, 74: 115-138.

- Liem, D. S. and Haines, A. K. 1977. The Ecological Significance and Economic Importance of the Mangrove and Estuarine Communities of the Gulf Province, Papua New Guinea. Purari River (Wabo) Hydroelectirc Scheme Environmental Studies, Vol. 3. Waigani, Papua New Guinea, Office of Environment and Conservation.
- Lindt, J. W. 1887. *Picturesque New Guinea*. London, Longmans, Green and Co.
- Lister-Turner, R. and J. B. Clark. 1931. A Dictionary of the Motu Language of Papua. 2nd edition, ed. P. Chatterton. Sydney, A. H. Pettifer, Government Printer.
- Löffler, E. 1977. Geomorphology of Papua New Guinea. Canberra, Commonwealth Scientific and Industrial Research Organisation and Australian National University Press.
- Löffler, E. 1982. Landforms and landform development. In J. L. Gressitt (ed.), *Biogeography and Ecology of New Guinea*: 57–76. The Hague, Dr W. Junk Publishers.
- Loo, I. 2007. 'Wow, you must be really good at jigsaws': the Lapita pot reconstruction, Australian Museum, Jan-Feb 2007, *Sc@mogram*, Easter Edition, SC@M, Melbourne University.
- Mabbutt, J. A. 1965. Geomorphology of the Port Moresby-Kairuku area. In Lands of the Port Moresby-Kairuku Area, Territory of Papua and New Guinea: 106–128. Commonwealth Scientific and Industrial Research Organization, Land Research Series, 14. Melbourne, CSIRO.
- Mabbutt, J. A., Heyligers, P. C., Pullen, R., Scott, R. M. and Speight, J. G. 1965. Land systems of the Port Moresby-Kairuku area. In Lands of the Port Moresby-Kairuku Area, Territory of Papua and New Guinea: 20–82. Commonwealth Scientific and Industrial Research Organization, Land Research Series, 14. Melbourne, CSIRO.
- Macgillivray, J. 1852. *Narrative of the Voyage of the H.M.S. Rattlesnake*. London, T. and W. Boone.
- MacGregor, W. 1890. British New Guinea. Annual Report by Her Majesty's Administrator of the Government, from 1st July 1889 to 30th June 1890; With Appendices and Maps. Brisbane, James C. Beal, Government Printer.
- Macintyre, M. and Allen, J. 1990. Trading for subsistence: the case from the southern Massim. In D. E. Yen and J. M. J. Mummery (eds), *Pacific Production Systems: Approaches to Economic History*: 120-136. Occasional Papers in Prehistory 18, Department of Prehistory, Research School of Pacific Studies. Canberra, Australian National University.
- Mack, A. L. 1995. Distance and non-randomness of seed dispersal by the Dwarf Cassowary Casuarius bennetti. *Ecography* 18: 286–295.
- Mack, A. L. and Wright, D. D. 2005. The frugivore community and the fruiting plant flora in a New Guinea rainforest: identifying keystone frugivores.

- In L. J. Dew and J. P. Boubli (eds), *Tropical Fruits and Frugivores: The Search for Strong Interactors*: 18–203. The Netherlands, Springer.
- Mackay, R. D. 1970. *The Birds of Port Moresby and District*. Melbourne, Thomas Nelson (Australia) Limited.
- Malaquias, M. A. and Reid, D. G. 2008. Systematic revision of the living species of Bullida (Mollusca: Gastropoda: Cephalaspidea), with a molecular phylogenetic analysis. *Zoological Journal of the Linnean Society* 153: 453–543.
- Malinowski, B. n.d. Fieldnotes. Photocopy in Nigel Oram Papers 1963-69, Box 5, Folder 32, National Library of Australia, Canberra.
- Mason, R. D., Peterson, M. L. and Tiffany, J. A. 1998. Weighing vs counting: measurement reliability and the California school of midden analysis. *American Antiquity* 63: 303–324.
- May, R. 2001. State and Society in Papua New Guinea: The First Twenty-Five Years. Adelaide, Crawford House Publishing.
- McAlpine, J. R., Keig, G. and Falls, R. 1983. *Climate of Papua New Guinea*. Canberra, Commonwealth Scientific and Industrial Research Organisation and Australian National University Press.
- McCoy, P. C. 1982. Manufacturing technology. In P. V. Kirch and D. E. Yen (eds), *Tikopia: The Prehistory and Ecology of a Polynesian Outlier*: 261–269. B. P. Bishop Museum Bulletin, No. 238. Honolulu, Bishop Museum Press.
- McKenzie, N., Jacquier, D., Isbell, R. and Brown, K. 2004. Australian Soils and Landscapes. Melbourne, Commonwealth Scientific and Industrial Research Organisation Publishing.
- McNiven, I. J. 1992. Bone Cave, Stone Artefact Initial Attribute Analysis. Report produced for the Southern Forests Archaeological Project, La Trobe University, Bundoora, Australia.
- McNiven, I. J., David, B., Aplin, K., Mialanes, J., Asmussen, B., Ulm, S., Faulkner, P., Rowe, C. and Richards, T. 2012a. Terrestrial engagements by terminal Lapita maritime specialists on the southern Papuan coast. In S. G. Haberle and B. David (eds), Peopled Landscapes: Archaeological and Biogeographic Approaches to Landscapes: 121–156. Terra Australis 34. Canberra, ANU E Press.
- McNiven, I. J., David, B., Brady, L. and Brayer, J. 2004. Kabadul Kula rock-art site, Dauan Island, Torres Strait. In I. J. McNiven and M. Quinnell (eds), *Torres* Strait: Archaeology and Material Culture: 227–255. Memoirs of the Queensland Museum, Cultural Heritage Series, No. 3, Pt. 1. South Brisbane, Queensland Museum.
- McNiven, I. J., David, B., Richards, T., Aplin, K.,
 Asmussen, B., Mialanes, J., Leavesley, M., Faulkner,
 P. and Ulm, S. 2011. New direction in human colonisation of the Pacific: Lapita settlement of south coast New Guinea. *Australian Archaeology* 72: 1–6.

- McNiven, I. J., David, B., Richards, T., Rowe, C., Leavesley, M., Mialanes, J., Connaughton, S. P., Barker, B., Aplin, K., Asmussen, B., Faulkner, P. and Ulm, S. 2012b. Lapita on the south coast of Papua New Guinea: challenging new horizons in Pacific archaeology. *Australian Archaeology* 75: 16–22.
- McNiven, I. J., Dickinson, W. R., David, B., Weisler, M., von Gnielinski, F., Carter, M. and Zoppi, U. 2006.
 Mask Cave: red-slipped pottery and the Australian-Papuan settlement of Zenadh Kes (Torres Strait).
 Archaeology in Oceania 41: 49–81.
- Menzies, J. I. 2006. *The Frogs of New Guinea and the Solomon Islands*. Sofia, Bulgaria, Pensoft Publishers.
- Mercieca, A. 2000. Burnt and broken: an experimental study of heat fracturing in silcrete. *Australian Archaeology* 51: 40–47.
- Moffat, I., David, B., Barker, B., Kuaso, A., Skelly, R. and Araho, N. 2011. Magnetometer surveys in archaeological research in Papua New Guinea: Keveoki 1, Gulf Province. *Archaeology in Oceania* 46: 17–22.
- Mohr, E. C. J., van Baren, F. A. and van Schuylenborgh, J. 1972. *Tropical Soils. A Comprehensive Study of their Genesis*. The Hague, Mouton Publishing.
- Moi, K. 1979. The first Hiri trade expedition from the Central Province. *Oral History* 7: 41–81.
- Moi, O. 1979. Boera association: impact of the association of the social, political and economic activities of the village people. *Yagl-Ambu* 6: 19–30.
- Mowat, F. 1995. Variability in Western Arnhem Land Shell Midden Deposits. Unpublished MA thesis, Northern Territory University.
- Muckle, R. J. 1985. *Archaeological Considerations of Bivalve Shell Taphonomy*. Unpublished MA thesis, Simon Fraser University.
- Munro, I. S. R. 1967. *The Fishes of New Guinea*. Port Moresby, Department of Agriculture, Stock and Fisheries.
- Munsell Color. 2011. *Geological Rock-Color Chart*, 2009 Revised Edition. Rock-Color Chart Committee. Grand Rapids, Geological Society of America.
- Murray, H. 1925. *Papua of Today*. London, P. S. King and Son.
- National Capital District Commission [NCDC]. 1992.
 National Capital District Commission (Motu-Koitabu Village Development Committees) Regulation 1992.
 Port Moresby, National Capital District Commission.
- Niles, D. 2000. Polynesian hymns in Papua: the synthesis of a Christian educational tool and local creative expression. *Journal of International Development and Cooperation* 6: 145–158.
- Nix, H. A. and Kalma, J. D. 1972. Climate as a dominant control in the biogeography of northern Australia and New Guinea. In D. Walker (ed.), *Bridge and Barrier: The Natural and Cultural History of Torres Strait*: 63–92. Canberra, Research School of Pacific Studies, Department of Biogeography and Geomorphology, Australian National University.

- O'Connor, S., Barham, A., Aplin, K., Dobney, K., Fairbairn, A. and Richards, M. 2011. The power of paradigms: examining the evidential basis for early to mid-Holocene pigs and pottery in Melanesia. *Journal of Pacific Archaeology* 2: 1–25.
- Odegaard, N., Carroll, S. and Zimmt, W. S. 2005. Material Characterization Tests for Objects of Art & Archaeology, 2nd Edition. London, Archetype Publications Ltd.
- O'Malley, J. T. 1912. Native affairs. In *Papua Annual Report, Year Ending 30 June 1912*: 98–105. Canberra, Government Printer.
- O'Malley, J. T. and Stanley, E. R. 1918. *Map of the Central Division, Papua 1916*. Sydney, H. E. C. Robinson Ltd.
- Oram, N. D. 1968. Culture change, economic development and migration among the Hula. *Oceania* 38: 243–275.
- Oram, N. D. 1969. Taurama: oral sources for a study of recent Motuan prehistory. In K. S. Inglis (ed.), *The History of Melanesia*: 423–441. Research School of Pacific Studies, Australian National University, Canberra with University of Papua New Guinea, Port Moresby. Reprinted from *Journal of the Papua and New Guinea Society* 2: 79–91 (1968).
- Oram, N. D. 1970. Land and race in Port Moresby. *Journal of the Papua and New Guinea Society* 4: 5–28.
- Oram, N. D. 1971. The London Missionary Society pastorate and the emergence of an educated elite in Papua. *Journal of Pacific History* 6: 115–132.
- Oram, N. D. 1975. Environmental Factors Determining Migration and Site Selection. Paper delivered to the 1975 Waigani Seminar, Port Moresby, Papua New Guinea.
- Oram, N. D. 1976. *Colonial Town to Melanesian City*. Canberra, Australian National University Press.
- Oram, N. D. 1977. Environment, migration and site selection in the Port Moresby coastal area. In J. H. Winslow (ed.), *The Melanesian Environment*: 74–99. Canberra, ANU Press.
- Oram, N. D. 1981. The history of the Motu-speaking and Koitabu-speaking peoples according to their own traditions. In D. Denoon and R. Lacey (eds), *Oral Tradition in Melanesia*: 207–229. Port Moresby, University of Papua New Guinea and Institute of Papua New Guinea Studies.
- Oram, N. D. 1982. Pots for sago: the Hiri trading network. In T. E. Dutton (ed.), The Hiri in History: Further Aspects of Long Distance Motu Trade in Central Papua: 1–33. Pacific Research Monograph 8, Research School of Pacific Studies, Australian National University. Canberra, Australian National University.
- Oram, N. D. 1991. Edai Siabo: an ethnographic study of a Papuan myth. In A. Pawley (ed.), *Man and a Half*: 520–35. Auckland, Journal of the Polynesian Society.

- Oram, N. D. n.d.a. Towards a Study of the London Missionary Society in Hula 1875-1968. Mimeo, University of Papua New Guinea, Port Moresby, Papua New Guinea.
- Oram, N. D. n.d.b. Nigel Oram Collection, MS9436, Australian National Library, Canberra.
- Orrell, J. 1977. Kila Kila village, Port Moresby sub-Province, Central Province. *Oral History* 5: 14–30.
- Osborne, P. L., Humphreys, G. S. and Polunin, N. V. C. 1993. Sediment deposition and late Holocene environmental change in a tropical lowland basin: Waigani Lake, Papua New Guinea. *Journal of Biogeography* 20: 599–613.
- O'Shea, M. 1996. A Guide to the Snakes of Papua New Guinea. Port Moresby, Independent Publishing.
- Paijmans, K. 1976. New Guinea Vegetation. Canberra, Commonwealth Scientific and Industrial Research Organisation and Australian National University Press.
- Pain, C. and Swadling, P. 1980. Sea level changes, coastal landforms and human occupation near Port Moresby. Science in New Guinea 7: 57–68.
- Papua New Guinea Church Partnership Program [PNGCPP]. 2006. Annual Program Report July 2005-June 2006, Port Moresby.
- Papua New Guinea Church Partnership Program [PNGCPP]. 2007a. 4th Annual Program Strategy July 2007-June 2008. Port Moresby.
- Papua New Guinea Church Partnership Program [PNGCPP]. 2007b. *Garamut* [Newsletter], 5.
- Papua New Guinea Church Partnership Program [PNGCPP]. 2008. *Garamut* [Newsletter], 6.
- Papua New Guinea Consolidated Legislation [PNGCL]. 1992. National Capital District Commission (Motu-Koitabu Village Development Committees) Regulation 1992, Port Moresby.
- Papua New Guinea Law Reports [PNGLR]. 1973.
 High Court of Australia: The Administration of the Territory of Papua New Guinea v. Guba and Doriga.
 Papuan Villager. 1931. Sorcery. Volume 3: 81–82.
- Pavlides, C. and Kennedy, J. 2007. Pre-Lapita horizons in the Admiralty Islands: flaked stone technology from GAC and GFJ. In J. Specht and V. Attenbrow (eds), Archaeological Studies of the Middle and Late Holocene, Papua New Guinea: 197–215. Technical Reports of the Australian Museum, No. 20. Sydney, Australian Museum.
- Pawley, A. 2005. The chequered career of the trans New Guinea hypothesis: recent research and its implications. In A. Pawley, R. Attenborough, R. Hide and J. Golson (eds), *Papuan Pasts: Cultural, Linguistic and Biological Histories of Papuan-Speaking Peoples*: 67–107. Australian National University, Pacific Linguistics, 572. Canberra, Australian National University.
- Peel, M. C., Finlayson, B. L. and McMahon, T. A. 2007. Updated world map of the Köppen-Geiger climate

- classification. *Hydrological Earth Systems Sciences Discussions* 4: 439–473.
- Pernetta, J. C. and Hill, L. 1981. A review of marine resource use in coastal Papua. *Journal de la Société des Océanistes* 37: 175–191.
- Perry, C. T. and Smithers, S. G. 2011. Cycles of coral reef 'turn-on', rapid growth and 'turn-off' over the past 8500 years: a context for understanding modern ecological states and trajectories. *Global Change Biology* 17: 76–86.
- Petchey, F., Anderson, A., Zondervan, A., Ulm, S. and Hogg, A. 2008. New marine ΔR values for the South Pacific Subtropical Gyre region. *Radiocarbon* 50: 373–397.
- Petchey, F., Ulm, S., David, B., McNiven, I. J., Asmussen, B., Tomkins, H., Dolby, N., Aplin, K., Richards, T., Rowe, C., Leavesley, M. and Mandui, H. 2013. High-resolution radiocarbon dating of marine materials in archaeological contexts: radiocarbon marine reservoir variability between *Anadara*, *Gafrarium*, *Batissa*, *Polymesoda* spp. and *Echinoidea* at Caution Bay, southern coastal Papua New Guinea. *Archaeological and Anthropological Sciences* 5: 69–80.
- Petchey, F., Ulm, S., David, B., McNiven, I. J., Asmussen, B., Tomkins, H., Richards, T., Rowe, C., Leavesley, M., Mandui, H. and Stanisic, J. 2012. Radiocarbon marine reservoir variability in herbivores and deposit-feeding gastropods from an open coastline, Papua New Guinea. *Radiocarbon* 54: 967–978.
- Pieters, P. E. 1982. Geology of New Guinea. In J. L. Gressitt (ed.), *Biogeography and Ecology of New Guinea*: 15–38. The Hague, Dr W. Junk Publishers.
- Poiner, I. R. and Catterall, C. P. 1988. The effects of traditional gathering on populations of the marine gastropod Strombus luhuanus Linne 1758, in southern Papua New Guinea. *Oecologia* 76: 191–199.
- Poutiers, J. M. 1998a. Bivalves. In K. E. Carpenter and V. H. Niem (eds), The Living Marine Resources of the Western Central Pacific. Volume 1: Seaweeds, Corals, Bivalves and Gastropods: 123–361. FAO Species Identification Guide for Fishery Purposes. Rome, Food and Agriculture Organization of the United Nations.
- Poutiers, J. M. 1998b. Gastropods. In K. E. Carpenter and V. H. Niem (eds), The Living Marine Resources of the Western Central Pacific. Volume 1: Seaweeds, Corals, Bivalves and Gastropods: 363–648. FAO Species Identification Guide for Fishery Purposes. Rome, Food and Agriculture Organization of the United Nations.
- Prebble, M., Kennedy, J. and Southern, W. 2010. Holocene lowland vegetation change and human ecology in Manus Province, Papua New Guinea. In S. Haberle, J. Stevenson and M. Prebble (eds), *Altered Ecologies: Fire, Climate and Human Influence on Terrestrial Landscapes*: 299–321. Terra Australis 32. Canberra, ANU E Press.

- Prentice, M. L. and Hope, G. S. 2006. Climate of Papua. In A. J. Marshall and B. M. Beehler (eds), *The Ecology of Papua, Part One*: 177–195. The Ecology of Indonesia Series, Volume VI. Hong Kong, Periplus Editions.
- Pretty, G. L. 1967. Report on an Inspection of Certain Archaeological Sites and Field Monuments in the Territory of Papua New Guinea. Report to the Papua and New Guinea Public Museum and Art Gallery.
- Price, A. V. G. 1975. *Traditional Motu Customs*. Port Moresby, Institute of Papua New Guinea Studies.
- Purdy, B. A. and Brooks, H. K. 1971. Thermal alteration of silica minerals: an archaeological approach. *Science* 173: 322–325.
- Pye, E. 2001. Caring For the Past. Issues in Conservation For Archaeology and Museums. London, James and James (Science Publications) Ltd.
- Raga, M. N. 2006. Reef and Mangrove Survey Reports,
 Barakau Village, Central Province, PNG. IWP-Pacific Technical Report (International Waters Project), no. 24. Apia, Samoa, Secretariat of the Pacific Regional Environment Programme.
- Rakatani, H. (ed.) 2008. The History of Namura Tribe. Report given to Bruno David by Namura members.
- Reepmeyer, C., Spriggs, M., Bedford, S. and Ambrose, W. 2011. Provenance and technology of lithic artifacts from the Teouma Lapita site, Vanuatu. *Asian Perspectives* 49: 205–225.
- Reeves, J. M., Barrows, T. T., Cohen, T. J., Kiem, A. S., Bostock, H. C., Fitzsimmons, K. F., Jansen, J. D., Kemp, J., Krause, C., Petherick, L., Phipps, S. J. and OZ-INTIMATE Members 2013a. Climate variability over the last 35,000 years recorded in marine and terrestrial archives in the Australian region: an OZ-INTIMATE compilation. *Quaternary Science Reviews* 74: 21–34.
- Reeves, J. M., Bostock, H. C., Ayliffe, L. K., Barrow, T., De Deckker, P., Devriendt, L. S., Dunbar, G. B., Drysdale, R., Fitzsimmins, K. E., Gagan, M. K., Griffiths, M. L., Haberle, S. G., Jansen, J. D., Krause, C., Lewis, S., McGregor, H. V., Mooney, S. D., Moss, P., Nanson, G. C., Purcell, A. and van der Kaars, S. 2013b. Palaeoenvironmental change in tropical Australasia over the last 30,000 years a synthesis by the OZ-INTIMATE group. *Quaternary Science Reviews* 74: 97–114.
- Reimer, P. J., Bard, E., Bayliss, A., Beck, J. W., Blackwell, P. G., Bronk Ramsey, C., Buck, C. E., Cheng, H., Edwards, R. L., Friedrich, M., Grootes, P. M., Guilderson, T. P., Haflidason, H., Hajdas, I., Hatté, C., Heaton, T. J., Hoffmann, D. L., Hogg, A. G., Hughen, K. A., Kaiser, K. F., Kromer, B., Manning, S. W., Niu, M., Reimer, R. W., Richards, D. A., Scott, E. M., Southon, J. R., Staff, R. A., Turney, C. S. M., and van der Plicht, J. 2013. IntCal13 and Marine13 radiocarbon age calibration curves, 0-50,000 years cal BP. Radiocarbon 55: 1869–1887.

- Reitz, E. J. and Wing, E. S. 2008. *Zooarchaeology*. Cambridge, Cambridge University Press.
- Rhoads, J. W. 1980. *Through a Glass Darkly*. Unpublished PhD thesis, Australian National University.
- Rhoads, J. W. 1982. Prehistoric Papuan exchange systems: the Hiri and its antecedents. In T. E. Dutton (ed.), *The Hiri in History: Further Aspects of Long Distance Motu Trade in Central Papua*: 131–151. Australian National University, Research School of Pacific Studies, Pacific Research Monograph, No. 8. Canberra, Australian National University.
- Rhoads, J. W. 1994. The Popo site. In D. Frankel and J. W. Rhoads (eds), Archaeology of a Coastal Exchange System: Sites and Ceramics of the Papuan Gulf: 53–69. Division of Archaeology and Natural History, Research School of Pacific and Asian Studies, Australian National University, Research Papers in Archaeology and Natural History, No. 25. Canberra, Australian National University.
- Rhoads, J. and Mackenzie, D. 1991. Stone axe trade in prehistoric Papua: the travels of Python. *Proceedings of the Prehistoric Society* 57: 35–49.
- Rodman, M. 1987. Masters of Tradition: Consequences of Customary Land Tenure in Longana, Vanuatu. Vancouver, University of British Columbia Press.
- Romilly, H. 1889. From My Verandah in New Guinea: Sketches and Traditions. London, David Nutt.
- Rosenstiel, A. 1953. *The Motu of Papua New Guinea: A Study of Successful Acculturation*. Unpublished PhD thesis, Columbia University.
- Ross, M. D. 1994. Central Papuan culture history: some lexical evidence. In A. K. Pawley and M. D. Ross (eds), *Austronesian Terminologies: Continuity and Change*: 389–479. Australian National University, Pacific Linguistics, Series C, No. 127. Canberra, Australian National University.
- Ross, M. D. 1996. Contact-induced change and the comparative method: case studies from Papua New Guinea. In M. Durie and M. Ross (eds), *The Comparative Method Reviewed: Regularity and Irregularity in Language Change*: 180–217. New York, Oxford University Press.
- Rowe, C. 2007. A palynological investigation of Holocene vegetation change in Torres Strait, seasonal tropics of northern Australia. *Palaeogeography, Palaeoclimatology and Palaeoecology* 251: 83–103.
- Rowe, C. 2015. Late Holocene swamp transition in the Torres Strait, northern tropical Australia. *Quaternary International* 385: 56-68.
- Rowe, C., McNiven, I. J., David, B., Richards, T. and Leavesley, M. 2013. Holocene pollen records from Caution Bay, southern mainland Papua New Guinea. *The Holocene* 23: 1130–1142.
- Rowland, M. J. 1982. Shell middens: weights or numbers? A problem not so easily resolved. *New Zealand Archaeological Association Newsletter* 25: 113–119.

- Rowland, M. J. 1994. Size isn't everything: shells in mounds, middens and natural deposits. *Australian Archaeology* 39: 118–124.
- Rumsey, A. and Niles, D. (eds) 2011. Sung Tales from the Papua New Guinea Highlands: Studies in Form, Meaning, and Sociocultural Context. Canberra, ANU E. Press.
- Schaffelke, B. and Klumpp, D. W. 1998. Short-term nutrient pulses enhance growth and photosynthesis of the coral reef Macroalgae *Sargassum baccularia*. *Marine Ecology Progress Series* 170: 95–105.
- Schaffelke, B., McCook, L., Klumpp, D. and McKinnon,
 D. 1996. Seagrasses and seaweeds (Macroalgae) of Exmouth Gulf: their distribution and importance in primary production. AIMS Western Australian Research Activities, 1994-1996. Australian Institute of Marine Science. http://www.aims.gov.au/pages/ research/wa-research/pages/wa9496-13.htm (15 January 2015).
- Scott, R. M. 1965. Soils of the Port Moresby-Kairuku area. In Lands of the Port Moresby-Kairuku Area, Territory of Papua and New Guinea: 129–145. Commonwealth Scientific and Industrial Research Organisation, Land Research Series, No. 14. Melbourne, CSIRO.
- Seligmann, C. G. 1910. *The Melanesians of British New Guinea*. Cambridge, Cambridge University Press.
- Seneca, M. 1976. Pottery in Boera village. *Oral History* 4: 4-8.
- Sheppard, P. J. 1993. Lapita lithics: trade/exchange and technology. A view from the Reefs/Santa Cruz. *Archaeology in Oceania* 28: 121–137.
- Shipman, P., Foster, G. and Schoeninger, M. 1984. Burnt bones and teeth: an experimental study of color, morphology, crystal structure and shrinkage. *Journal of Archaeological Science* 11: 307–325.
- Short, J. W. and Potter, D. G. 1987. Shells of Queensland and the Great Barrier Reef: Marine Gastropods. Drummoyne, Golden Press.
- Shulmeister, J. and Lees, B. G. 1995. Pollen evidence from tropical Australia for the onset of an ENSO-dominated climate at c.4000 yr BP. *The Holocene* 5: 10-18.
- Sinclair, R. 1982. Samoans in Papua. In R. Crocombe and M. Crocombe (eds), *Polynesian Missions in Melanesia*: 17–38. Suva, University of the South Pacific.
- Skelly, R. 2014. From Lapita to the Hiri: Archaeology of the Kouri Lowlands, Gulf of Papua, Papua New Guinea. Unpublished PhD thesis, Monash University.
- Skelly, R. and David, B. in press. Hiri: Archaeology of Long-Distance Maritime Trade Along the South Coast of Papua New Guinea. Honolulu, University of Hawaii Press.
- Skelly, R., David, B., Barker, B., Kuaso, A. and Araho,N. 2010. Migration sites of the Miaro clan (Vailala River Region, Papua New Guinea): tracking Kouri

- settlement movements through oral tradition sites on ancient landscapes. *The Artefact* 33: 16-29.
- Skelly, R., David, B., Petchey, F. and Leavesley, M. 2014. Tracking ancient beach-lines inland: 2600 year old dentate-stamped ceramics at Hopo, Vailala River region, Papua New Guinea. *Antiquity* 88: 470–487.
- Specht, J. 2007. Small islands in the big picture: the formative period of Lapita in the Bismarck Archipelago. In S. Bedford, C. Sand and S. P. Connaughton (eds), *Oceanic Explorations: Lapita and Western Pacific Settlement*: 51–70. Terra Australis 26. Canberra, ANU E Press.
- Specht, J. 2009. The aceramic to ceramic boundary in the Bismarck Archipelago. In P. J. Sheppard, T. Thomas and G. R. Summerhayes (eds), *Lapita: Ancestors and Descendants*: 11–34. New Zealand Archaeological Association, Monograph 28. Auckland, New Zealand Archaeological Association.
- Specht, R. L. 1981. The use of foliage projective cover.
 In A. N. Gillison and D. J. Anderson (eds), Vegetation Classification in Australia: 10–21. Canberra,
 Commonwealth Scientific and Industrial Research Organisation and Australian National University Press.
- Specht, R. L. 1983. Foliage projective covers of overstorey and understorey strata of mature vegetation in Australia. *Australian Journal of Ecology* 8: 433–439.
- Speight, J. G. 1965. Geology of the Port Moresby-Kairuku area. In Lands of the Port Moresby-Kairuku Area, Territory of Papua and New Guinea: 98–105.
 Commonwealth Scientific and Industrial Research Organisation, Land Research Series, No. 14.
 Melbourne, CSIRO.
- Spriggs, M. 2003. Chronology of the Neolithic transition in Island Southeast Asia and the western Pacific: A View from 2003. *Review of Archaeology* 24: 57–80.
- Spriggs, M. and Anderson, A. 1993. Late colonization of east Polynesia. *Antiquity* 67: 200-217.
- Springsteen, F. J. and Leobrera, F. M. 1986. *Shells of the Phillipines*. Malate, Carfel Seashell Museum.
- Standish, W. 1999. Papua New Guinea 1999: crisis of governance. Parliament of Australia. http://www.aph.gov.au/library/pubs/rp/1999-2000/2000rp04.htm (10 October 2013).
- Stanley, E. R. 1919. Geological expedition across the Owen Stanley Range. In *Papua: Annual Report for the Year 1917-18*: 75–84. Parliament of the Commonwealth of Australia. Melbourne, Albert J. Mullett, Government Printer.
- Steiner, S. C. C. and Williams, S. M., 2006. The density and size distribution of *Diadema antillarum* on Dominica (Lesser Antilles): 2001-2004. *Marine Biology* 149: 1071–1078.
- Stone, O. C. 1876. Description of the country and natives of Port Moresby and neighbourhood New Guinea. *Journal of the Royal Geographical Society* 46: 34–62.

- Stone, O. C. 1880. *A Few Months in New Guinea*. London, Sampson Low, Marston, Searle and Rivington.
- Strahan, D. and Unruh, J. 2002. Conservation of ceramic artifacts on archaeological sites. Field Notes Practical Guides for Archaeological Conservation and Site Preservation, No. 12. Japanese Institute of Anatolian Archaeology. http://www.jiaa-kaman.org/images/fn/pdf/fieldnotes no 12.pdf (1 June 2014).
- Stuart, I. 1970. *Port Moresby: Yesterday and Today*. Sydney, Pacific Publications.
- Sturman, A. and Tapper, N. 2001. *The Weather and Climate of Australia and New Zealand*. Melbourne, Oxford University Press.
- Sullivan, M. E. and Sassoon, M. 1987. Prehistoric occupation of Loloata Island Papua New Guinea. *Australian Archaeology* 24: 1–9.
- Summerhayes, G. R. 2009. Obsidian network patterns in Melanesia sources, characterisation and distribution. *Indo-Pacific Prehistory Association Bulletin* 29: 109–123.
- Summerhayes, G. R. and Allen, J. 2007. Lapita writ small? Revisiting the Austronesian colonisation of the Papuan south coast. In S. Bedford, C. Sand and S. P. Connaughton (eds), *Oceanic Explorations:* Lapita and Western Pacific Settlement: 97–122. Terra Australis 26. Canberra, ANU E Press.
- Sunshine State Stories 2011. Papua New Guinea climate, temperatures and weather review. http://www.sunshinestatestories.com/interesting-stuff/papuanew-guinea-climate-temperatures-weather-review (18 May 2011).
- Swadling, P. 1976. Was there a Hiatus in Human Settlement 1000 Years Ago in the Port Moresby Area? Unpublished manuscript, Papua New Guinea National Museum and Art Gallery, Port Moresby.
- Swadling, P. 1977a. A review of the traditional and archaeological evidence for early Motu, Koita and Koiari settlements along the central south Papua coast. *Oral History* 5: 37–57.
- Swadling, P. 1977b. Depletion of shellfish in the traditional gathering beds of Pari. In J. H. Winslow (ed.), *The Melanesian Environment*: 182–187.
 Canberra, Australian National University Press.
- Swadling, P. 1980. Decorative features and sources of selected potsherds from archaeological sites in the Gulf and Central Provinces. *Oral History* 8: 101–125.
- Swadling, P. 1981. The settlement history of the Motu and Koita speaking people of the Central Province, Papua New Guinea. In D. Denoon and R. Lacey (eds), *Oral Tradition in Melanesia*: 240–251. Port Moresby, University of Papua New Guinea and Institute of Papua New Guinea Studies.
- Swadling, P. 1994. Changing shellfish resources and their exploitation for food and artifact production in Papua New Guinea. *Man and Culture in Oceania* 10: 127–150.
- Swadling, P. and Kaiku, O. 1980. Radiocarbon date from a fireplace in the clay surface of an eroded village site

- in the Papa salt pans, Central Province. *Oral History* 8: 86
- Symons, J. 2003. Obsidian artefacts and land-use in the mid-Holocene of the Willaumez Peninsula, Papua New Guinea. Australian Archaeology 57: 128–134.
- Szabó, K. 2008. Shell as a raw material: mechanical properties and working techniques in the Indo-West Pacific. *Archaeofauna* 17: 125–138.
- Szabó, K. 2009. Molluscan remains from Fiji. In G. Clark and A. Anderson (eds), *The Early Prehistory of Fiji*: 183–211. Terra Australis 31. Canberra, ANU E Press.
- Szabó, K. 2013. Identifying worked shell: a consideration of methodological issues with particular reference to Pleistocene contexts. In G. Bailey, K. Hardy and A. Camara (eds), Shell Energy: Mollusc Shells as Coastal Resources: 277–286. Oxford, Oxbow Books.
- Taborin, Y. 1993. La Parure en Coquillage au Paléolithique. CNRS éditions, Supplément à Gallia Préhistoire, n°29. Paris, CNRS.
- Tau, K. H. 1976. Porebada village, Port Moresby sub-Province, Central Province. *Oral History* 4: 5–6.
- Tauberschmidt, G. 1995. Sinaugoro Dictionary.
 Dictionaries in Papua New Guinea, Volume 15.
 Ukarumpa, Papua New Guinea, Summer Institute of Linguistics.
- Taylor, A. J. 1970. Syntax and Phonology of Motu (Papua): A Transformational Approach. Unpublished PhD thesis, Australian National University.
- Taylor, A. J. 1977. Missionary lingue franche: Motu. In S. A. Wurm (ed.), New Guinea Area Languages and Language Study Vol. 3: Language, Culture, Society and the Modern World: 881-891. Australian National University, Pacific Linguistics, C40. Canberra, Australian National University.
- Tebano, T. and Paulay, G. 2000. Variable recruitment and changing environments create a fluctuating resource: the biology of Anadara uropigmelana (Bivalvia: Arcidae) on Tarawa Atoll. Atoll Research Bulletin No. 488. Washington DC, National Museum of Natural History, Smithsonian Institution. http://www.sil.si. edu/ digitalcollections/ atollresearchbulletin/ ARB_RecordSingle.cfm?issue=488 (15 January 2015).
- Thompson, T. J. U., Islam, M., Piduru, K. and Marcel, A. 2011. An investigation into the internal and external variables acting on crystallinity index using Fourier transform infrared spectroscopy on unaltered and burned bone. *Palaeogeography, Palaeoclimatology, Palaeoecology* 299: 168–174.
- Thomson, N. P. 1975. The dialects of Magi. In *Papers in New Guinea Linguistics* 18: 37–90. Australian National University, Pacific Linguistics, Series A, No. 40. Canberra, Australian National University.
- Torrence, R. 2011. Finding the right question: learning from stone tools on the Willaumez Peninsula, Papua New Guinea. *Archaeology in Oceania* 46: 29–41.

- Tschegg, C. 2009. Post-depositional surface whitening of ceramic artifacts: alteration mechanisms and consequences. *Journal of Archaeological Science* 36: 2155–2161.
- Turner, W. 1878. The ethnology of the Motu. *Journal* of the Anthropological Institute of Great Britain and Ireland 7: 470–499.
- Uberoi, J. P. S. 1962. *Politics of the Kula Ring: An Analysis of the Findings of Bronislaw Malinowski*. Manchester, Manchester University Press.
- Ulm, S., Barham, A. J., David, B., Jacobsen, G., McNiven, I. J., Petchey, F. and Rowland, M. J. 2007. Marine carbon reservoir variability in Torres Strait: preliminary results of AMS dating of live collected shell specimens. Abstracts from XVII INQUA Congress (Cairns, Australia, 28 July–3 August 2007). Quaternary International 167-168: 426.
- UNESCO. 2001. Partners in Coastal Development: the Motu Koitabu People of Papua New Guinea. Coastal Region and Small Island Papers, No. 10. Paris, UNESCO.
- Unsworth, R. K., Bell, J. J. and Smith, D. J. 2007. Tidal fish connectivity of reef and sea grass habitats in the Indo-Pacific. *Journal of The Marine Biological Association of the United Kingdom* 87: 1287–1296.
- Vanderwal, R. L. 1973. Prehistoric Studies in Central Coastal Papua. Unpublished PhD thesis, Australian National University.
- Vanderwal, R. L. 1976. Tradition, history and potting: a Papuan example of changing settlement and economy. *Oral History* 4: 2–15.
- Vanderwal, R. L. 1978. Exchange in prehistoric coastal Papua. In J. Specht and J. P. White (eds), *Trade* and Exchange in Oceania and Australia: 416–428. Special issue of Mankind, 11(3). Sydney, Australian Museum and the Anthropological Society of New South Wales.
- Vandiver, P. 2001. The role of materials research in ceramics and archaeology. *Annual Review of Materials Research* 31: 373–385.
- Van Dyck, S. and Strahan, R. 2008. *The Mammals of Australia*. Sydney, Reed New Holland.
- Van Heekeren, D. 2011. 'Singing it local': the appropriation of Christianity in the Vula'a villages of Papua New Guinea. Asia Pacific Journal of Anthropology 12: 44–59.
- Vasey, D. E. 1982. Subsistence potential of the precolonial Port Moresby area, with reference to the Hiri trade. *Archaeology in Oceania* 17: 132–142.
- Vuki, V. C. and Price, I. R. 1994. Seasonal changes in the *Sargassum* populations on a fringing coral reef, Magnetic Island, Great Barrier Reef region, Australia. *Aquatic Botany* 48: 153–166.
- Wacker Chemie AG 2006. Lasting protection for building fabric with Silres BS Silicon masonry protection agents, Wacker Chemie AG. http://www.wacker.com/ cms/ media/ publications/ downloads/6187_EN.pdf (1 June 2014).

- Walker, D. 1966. Vegetation of the Lake Ipea region, New Guinea highlands: forest, grassland and garden. *Journal of Ecology* 54: 445–456.
- Walker, J. and Gillison, A. N. 1982. Australian savannas. In B. J. Huntley and B. H. Walker (eds), *Ecology of Tropical Savannas*: 5–24. Ecological Studies Volume 42. New York, Springer-Verlag Publishing.
- Wari, R. 2004. Pari women get K81,000 from US Government. The National, 16 November 2004. http://www.thenational.com.pg/1116/nation21.htm (10 October 2013).
- Weiner, J. 2002. The work of inscription in Foi poetry. In B. David and M. Wilson (eds), *Inscribed Landscapes: Marking and Making Place*: 270–283. Honolulu, University of Hawai'i Press.
- Weiner, J. 2013. The incorporated what group: ethnographic, economic and ideological perspectives on customary land ownership in contemporary Papua New Guinea. *Anthropological Forum* 23: 94–106.
- Westcott, D. A., Setter, M., Bradford, M. G., McKeown, A. and Setter, S. 2008. Cassowary dispersal of the invasive pond apple in a tropical rainforest: the contribution of subordinate dispersal modes in invasion. *Diversity and Dispersal* 14: 432–439.
- Whittow, J. 2000. *Dictionary of Physical Geography*. London, Penguin Books.
- Wilson, B. R. 2002. A Handbook to Australian Seashells on Seashores East to West and North to South. French's Forest, NSW, Reed Books.
- Wilson, B. R. and Gillett, K. 1988. A Field Guide to Australian Shells: Prosobranch Gastropods. French's Forest, NSW, Reed Books.
- Womersley, H. B. S. 1987. *The Marine Benthic Flora of South Australia Part II*. Adelaide, SA Government Printer.
- Woodroffe, C. D. 2000. Deltaic and estuarine environments and their late Quaternary dynamics on the Sunda and Sahul shelves. *Journal of Asian Earth Sciences* 18: 393–413.
- WoRMS Editorial Board. 2014. World register of marine species. http://www.marinespecies.org (28 May 2014).
- Worthing, M. A. 1980. South Papuan coastal sources of potsherds from the Gulf area of PNG. *Oral History* 8: 87–100.
- Woxvold, I. A. 2008. Assessment and impact analysis of terrestrial biodiversity at the LNG Facilities Site, Central Province, Papua New Guinea. Final Report to Coffey Natural Systems. Appendix 12 in CNS 2009, PNG LNG Project. Environmental Impact Statement. http://www.pnglng.com/downloads/eis_appendix12.pdf (27 January 2015).
- Zuschin, M., Stachowitsch, M. and Stanton, R. J. 2003. Patterns and processes of shell fragmentation in modern and ancient marine environments. *Earth-Science Reviews* 63: 33–82.